Processes for Cleaning ED/UCC Patient Spaces (non-isolation) after Discharge

Note: Environmental Services (ES) cleans ED and UCC patient rooms regularly and typically cleans cubicle/room if patient is on isolation precautions. Follow your department or unit specific processes for requesting a room clean by Environmental Services.

If you have any questions or comments contact IPC at ipcsurvstdadmin@ahs.ca

Best practice recommendations

Infection prevention and control resources

- Principles for Environmental Cleaning and Disinfection
- Ready-to-Use Disinfectant Wipes Key Points

From Principles for Environmental Cleaning and Disinfection

Develop department or unit specific processes:

- Define roles and responsibilities, e.g., the assignment of cleaning tasks/specific equipment for each unit or area.
- Ensure non-environmental services cleaning staff have necessary supplies, e.g., ready-to-use disinfectant wipes, pre-mixed disinfectant solution, buckets, and cloths, to perform urgent cleaning tasks after hours. For more information, refer to Key Points for Ready-to-Use Disinfectant Wipes.
- Define regular cleaning and disinfection tasks and those performed on an as-needed basis.
- Include a method to differentiate clean items from soiled items.
- Designate separate areas for handling/storing clean and soiled items.
- Include a process for identifying and reporting damaged, e.g., scratched, chipped, or torn surfaces that impair effective cleaning and removing them from service.

Handling patient care items and equipment (per Routine Practices)

- Discard single-use disposable supplies
- Strip the stretcher/bed of linen
- Clean and disinfect reusable equipment before use by another patient:
 - Follow manufactures instructions for use.

Sample routine cleaning process for ED/UCC cubicles/rooms after patient discharge/transfer (non-isolation patient)

Equipment and supplies required

- 1. Cleaning and disinfecting products.
- 2. Cleaning cloths, as required.
- 3. Personal Protective Equipment (PPE) as per Point-of-Care Risk Assessment.





Cleaning process for ED and UCC patient spaces (non-isolation) after discharge

	Steps	Notes
1.	Collect all equipment and supplies, e.g., ready-to-use disinfectant wipes	 Follow manufacturer's instructions for cleaning and disinfecting medical devices.
2.	Perform hand hygiene Put on (Don) appropriate PPE	-
3.	Remove patient equipment/items from cubicle/room Bed pans, urinals, commode basins, etc. Strip the bed/stretcher of linen Remove used patient supplies, e.g., intravenous and injection supplies	Follow unit processes for cleaning and disinfection of patient supplies that don't remain in the room.
4.	 Discard any open single-use disposable items and non-cleanable items, e.g., in paper packaging; used suction liner, tubing and catheter Discard any magazines or books 	 If items can be cleaned and disinfected, and are un-opened, clean and disinfect the exterior and leave the product in the cubicle. Open boxes of gloves and masks can be reused for the next patient unless there is evidence of contamination, e.g., visible soiling, rips in the box or other observed contamination. Refer to the IPC Best Practice Recommendation Discharge or Transfer.
5.	 Take off (doff) gloves Perform hand hygiene Put on (don) new gloves 	 Do not perform hand hygiene while wearing gloves. Do not re-use disposable gloves.
6.	Clean and disinfect	 Depending on the unit, unit assistants or service aides may clean IV pumps/poles, portable space lab screens commodes etc. in soiled utility room. Differentiate clean items from soiled. Where applicable, clean and disinfect technical equipment, including computers (site specific). Refer to IPC Best Practice Recommendation: Cleaning and Disinfection of Computers and Electronic Devices.
7.	Clean and disinfect medical devices that remain in the room, for example: vital sign monitor devices such as blood pressure cuffs, O2 saturation probes, ECG cables; external surface of suction containers etc.	Clean and disinfect reusable equipment before reuse by another patient.
8.	Clean and disinfect	If other areas of the bed/stretcher are grossly soiled with blood and body fluids and it needs a full clean e.g. undercarriage, wheels etc., place the stripped bed in the hall or designated space to be cleaned as indicated by department or unit specific processes.

For more information contact ipcsurvstdadmin@ahs.ca
© 2022 Alberta Health Services

Version	Date (YYYY-MM-DD)
Created	2020-11-17
Revised	2022-02-15
ECC Approved	2022-02-15



Processes for Cleaning ED/UCC Patient Spaces (non-isolation) after Discharge | 3

Steps		Notes
	Put a clean bed in the room	
	 Remake bed/stretcher with clean linen 	
10.	 Replace necessary equipment or supplies, e.g., 	
10.	suction liner, tubing and catheter	
	 Report visibly soiled curtains requiring replacement to 	
	environmental services	



This work is licensed under a <u>Creative Commons Attribution-Non-commercial-Share Alike 4.0 International license</u>. The licence does not apply to AHS trademarks, logos or content for which Alberta Health Services is not the copyright owner.

Disclaimer: This material is intended for general information only and is provided on an "as is", "where is" basis. Although reasonable efforts were made to confirm the accuracy of the information, Alberta Health Services does not make any representation or warranty, express, implied or statutory, as to the accuracy, reliability, completeness, applicability or fitness for a particular purpose of such information. This material is not a substitute for the advice of a qualified health professional. Alberta Health Services expressly disclaims all liability for the use of these materials, and for any claims, actions, demands or suits arising from such use.

For more information contact ipcsurvstdadmin@ahs.ca
© 2022 Alberta Health Services

Version	Date (YYYY-MM-DD)
Created	2020-11-17
Revised	2022-02-15
ECC Approved	2022-02-15

