Influenza-like Illness Outbreak

Manage an outbreak in NDSL sites

All staff share the responsibility for keeping residents safe. Complete the following actions when an influenza-like illness outbreak is confirmed. This checklist provides general measures only – refer to the corresponding section in the <u>Guide for Outbreak Prevention & Control in Non-Designated Supportive Living Sites</u> for detailed recommendations. When applicable, follow site-specific policies.

Infection Prevention Control measures	Guide Section
☐ Recommend confirmed and symptomatic residents remain in their room and away from others.	4.1
 Implement IPC recommendations in Figure 2: Place additional precaution signage outside room of confirmed and symptomatic residents. Wear recommended PPE (including mask/respirators, gloves, gown and eye protection). Conduct an Infection Prevention and Control Risk Assessment (IPCRA) prior to every resident interaction. Perform hand hygiene and practice respiratory etiquette. 	4.1
\square Use continuous masking and eye protection for the duration of the outbreak.	5.1
Administrative measures	Guide Section
☐ Notify appropriate HCW/staff and departments within the facility/unit.	5.2
☐ Place outbreak signage at the entrance of the facility/unit.	5.2
☐ Report daily using the online Facility CDC Outbreak Daily Report Portal (and to IPC as per zone process).	5.2
Assign HCW/staff to care for asymptomatic residents before symptomatic residents.	4.2
$\hfill \Box$ Cohort HCW/staff to work only in affected or only in unaffected areas.	4.2
☐ Inform residents, families/guardians/agents of the outbreak.	5.2
 Alert transport staff and the receiving site to use additional precautions if a symptomatic resident is attending another site for an appointment. 	5.6

Last revised: November 6, 2023

Created by: AHS - CDC



Resident restrictions	Guide Section
☐ Follow resident restrictions. Recommendations vary depending on if a specific pathogen has been identified.	7.3
Group/social activities and other events	Guide Section
☐ Allow asymptomatic residents to take part in daily activities.	5.7
☐ Follow the AHS Public Health Outbreak Team direction on whether to continue with group activities.	5.7
Use outbreak measures such as physical distancing, masking and hand hygiene for low-risk group activities that may continue.	5.7
\square Postpone high-risk group activities (such as singing and bus outings).	5.7
Nourishment areas / sharing of food	Guide Section
\square Deliver meals to confirmed or symptomatic residents in their rooms.	5.8
☐ Use single serve items and discontinue family style dining if recommended by the AHS Public Health Outbreak Team.	5.8
Visitors and Designated Family / Compart Daysons (DECDs)	Guide
Visitors and Designated Family / Support Persons (DFSPs)	Section
☐ Encourage visitors to postpone visiting.	
	Section
 □ Encourage visitors to postpone visiting. □ Recommend visitors/DFSPs wear a mask while in common areas at the 	Section 5.10
 Encourage visitors to postpone visiting. Recommend visitors/DFSPs wear a mask while in common areas at the facility. 	5.10 5.1
 Encourage visitors to postpone visiting. Recommend visitors/DFSPs wear a mask while in common areas at the facility. Recommend symptomatic visitors/DFSPs delay visit. 	5.10 5.1 4.10
 □ Encourage visitors to postpone visiting. □ Recommend visitors/DFSPs wear a mask while in common areas at the facility. □ Recommend symptomatic visitors/DFSPs delay visit. □ Advise visitors/DFSPs of the importance of hand hygiene. □ Advise visitors/DFSPs of the potential risk of exposure to a symptomatic 	5.10 5.1 4.10 4.10
 □ Encourage visitors to postpone visiting. □ Recommend visitors/DFSPs wear a mask while in common areas at the facility. □ Recommend symptomatic visitors/DFSPs delay visit. □ Advise visitors/DFSPs of the importance of hand hygiene. □ Advise visitors/DFSPs of the potential risk of exposure to a symptomatic resident and demonstrate the use additional PPE. 	5.10 5.1 4.10 4.10 4.10 Guide
 □ Encourage visitors to postpone visiting. □ Recommend visitors/DFSPs wear a mask while in common areas at the facility. □ Recommend symptomatic visitors/DFSPs delay visit. □ Advise visitors/DFSPs of the importance of hand hygiene. □ Advise visitors/DFSPs of the potential risk of exposure to a symptomatic resident and demonstrate the use additional PPE. HCW/staff outbreak control measures □ Advise symptomatic HCW/staff to report illness to manager/designate and to 	5.10 5.1 4.10 4.10 4.10 Guide Section

Specimen collection	Guide Section
 Follow the AHS Public Health Outbreak Team specimen collection recommendations for symptomatic residents. Specific direction will be provided on the number and type of specimens to collect. Specimen collection recommendations are based on site capacity and availability for specimen collection. 	4.12
☐ Ensure proper specimen collection, handling, and labelling (including EI#) when specimen collection is recommended by the AHS Public Health Outbreak Team.	4.12
Enhanced environmental cleaning and disinfection	Guide Section
☐ Perform cleaning using PPE and recommended cleaning products.	4.13
 □ Perform cleaning using PPE and recommended cleaning products. □ Follow recommendation in <u>Principles for Environmental Cleaning and Disinfection</u>. 	4.13 4.13
☐ Follow recommendation in Principles for Environmental Cleaning and	

Alberta Health Services Last revised: November 6, 2023