



Preamble:
The Calgary Zone Type A Continuing Care Home (CCH) Formulary identifies the funded drug products for residents residing in Calgary Zone Type A CCHs. The drug products listed on the Formulary will receive full funding when utilized according to Formulary policies, procedures, guidelines and restrictions. Additional funding is available for drug products not listed on the Formulary, or when a drug product is not used according to Formulary guidelines and restrictions through a non-formulary (NF) approval process by AHS and where a rational case to support medically necessary use has been presented.

Least Cost Alternative (LCA) Products:
Whenever possible, it is expected that the lowest cost option of a given drug listing be dispensed. Typically, these will be generic medicines or an alternative brand name to the original reference brand product. Similarly, it will be expected to use the lowest cost dosage forms whenever possible and as clinically appropriate (e.g. regular tablets instead of quick-dissolve tablets, or oral solids instead of liquids).

Exemptions to this will only be granted via the non-formulary process on an individual client basis, or in the event of a supply issue, at the discretion of ISFL Pharmacists.

Compounds and Alternate Dosing Forms (see FPP-10 for greater detail):
For compound eligibility, all active ingredients must be listed as a benefit on the LTC formulary list and must be listed for topical use (e.g. gabapentin oral does not grant eligibility for gabapentin topical coverage).

Compounds of commercially available items for altered routes of administration (e.g. compounded omeprazole suspension, or compounded capsules of a medication without a potential allergen) are non-formulary and must be approved for coverage via the NF process.

Grace Period (see FPP-04 for greater detail):
Whenever possible, it is expected that medication regimens be compliant to Formulary listings, restrictions, and therapeutic substitutions, but it is recognized that medication changes to comply with the Formulary at the time of admission are not always appropriate, and that time is necessary to collect appropriate information and make assessments regarding appropriateness need. To facilitate admissions and to promote rational prescribing, the committee has built in a "grace period" of up to 3 weeks where possible to allow for medication use that is not in accordance with Formulary guidelines. This grace period applies to all medications, including those medications usually considered for auto-substitutions. In situations where a 3 week period is insufficient to allow for drug changes, the "grace period" may be extended up to the initial care conference or initial quarterly medication review, up to a period of 6 weeks. This will allow for short-term funded drug use of medications not listed in the Formulary and/or use "outside" Formulary guidelines for new admissions unless otherwise specified in the Formulary.

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
4:00 ANTIHISTAMINE DRUGS								
4:04 First Generation Antihistamines								
	cyproheptadine	Periactin	4 mg tab, 2mg/5mL liquid	Oral				F
	diphenhydramine	Benadryl	25, 50 mg cap, 12.5 mg/5mL liquid	oral				F
	diphenhydramine	Benadryl	50 mg/mL (1 mL size)	Injection				F
4:08 Second Generation Antihistamines								
	cetirizine	Reactine	10 mg, 20 mg tabs	oral				F
	loratadine	Claritin	10 mg tab	oral				F
8:00 ANTI-INFECTIVES								
8:12.02 Aminoglycosides								
	gentamicin	Garamycin	40 mg/mL (2 mL size)	injection				F
	tobramycin	Nebcin	40 mg/mL (2 mL size)	injection				F

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
------------	--------------	---	----------	-------------------------	--------------------------	----------------------------	--	--------

8:12.06 Cephalosporins

	cefazolin	Ancef	500 mg / vial, 1 g / vial	injection			Antimicrobial Stewardship Backgrounder - β-lactam Allergy Issue 14, July 2017 (albertahealthservices.ca)	F
	cephalexin	Keflex	250 mg & 500 mg tabs, 250 mg/5mL liquid	oral				F
	cefixime	Suprax	400 mg tab, 100 mg/5mL liquid	oral				F
	cefuroxime axetil	Ceftin	250 mg, 500 mg tab	oral				F
	ceftriaxone	Rocephin	1 gram/vial	injection				F

8:12.12 Macrolides

	azithromycin	Zithromax	250 mg tab	oral	RS-11			RS
	clarithromycin	Biaxin	250 mg & 500 mg tabs	oral	RS-11			RS

8:12.16 Penicillins

	amoxicillin	Amoxil	250 mg & 500 mg caps, 250 mg/5mL liquid	oral				F
	amoxicillin/clavulanate	Clavulin	250mg*125mg, 500mg*125mg, 875*125mg tabs, 250mg*62.5 mg/5mL, 400mg*57 mg/5mL suspension	oral				F
	ampicillin	LCA	non-formulary (oral forms substitute to amoxicillin)	oral	ASL-01			NF-ASL
	ampicillin	LCA	500 mg/vial	injection				F
	cloxacillin	LCA	250 mg & 500 mg caps, 125 mg/5mL liquid	oral				F
	cloxacillin	LCA	500 mg/vial, 1 g/vial	injection				F
	penicillin G sodium	LCA	1 million units/vial, 10 million units/vial	injection				F
	penicillin V potassium	LCA	300 mg (500,000 units) tab, 125 mg/mL liquid	oral				F

8:12.18 Quinolones

	ciprofloxacin	Cipro	250 mg, 500 mg tabs	oral	RS-02			RS
	levofloxacin	Levaquin	250 mg, 500 mg tabs	oral	RS-02			RS
	norfloxacin	Noroxin	400 mg tab	oral	RS-02			RS

8:12.20 Sulfonamides

	sulfasalazine	Salozopyrin, SSZ	500 mg tab, 500 mg EC tab	oral				F
	sulfamethoxazole / trimethoprim	Bactrim, Septra	400mg*80mg, 800mg*160mg tabs, 40mg*8mg/mL liquid	oral				F

8:12.24 Tetracyclines

	doxycycline	Vibramycin	100 mg tab/cap	oral				F
	tetracycline	LCA	250 mg, 125 mg/5mL liquid	oral				F

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
8:12.28 Miscellaneous								
	clindamycin	Dalacin C	150 mg & 300 mg caps, 75 mg/5mL	oral				F
	clindamycin	Dalacin C	150 mg/mL	injection				F
	vancomycin	Vanocin	125 mg & 250 mg caps	oral	HCD-22			SA
	vancomycin	Vanocin	500 mg/vial	injection	HCD-22		Formulary for oral compounding when used for C-difficile infection under HCD-22 criteria. All other use is considered non-formulary	SA
8:14 Antifungals								
	fluconazole	Diflucan	50 mg, 100 mg, & 150 mg tab	oral	RS-23			RS
	nystatin	Nilstat, Mycostatin	100,000 units/mL liquid	oral	RS-23			RS
	terbinafine	Lamisil	250 mg tab	oral			see 84:00 for topical use	F
8:16 Antimycobacterials								
	isoniazid	Isotamine	100 mg tab	oral	LTC Exemption	Tuberculosis Program	For TB indications see links. All other indications are NF	RS
	rifampin	Rifadin	150 mg, 300 mg cap	oral	LTC Exemption	Tuberculosis Program	For TB indications see links. All other indications are NF	RS
8:18 Antivirals								
	acyclovir	Zovirax	non-formulary therapeutic substitution to valacyclovir		ASL-01		topical use is also non-formulary	NF-ASL
	amantadine	Symmetrel	100 mg cap, 10 mg/mL liquid	oral	HCD-03	amantadine	Formulary for movement disorders	SA
	famciclovir	Famvir	non-formulary, therapeutic substitution to valacyclovir		ASL-01			NF-ASL
	nirmatrelvir / ritonavir	Paxlovid	150mg*100mg tab	oral	SA-32			SA
	oseltamivir	Tamiflu	30 mg & 75 mg capsules, 6 mg/mL liquid	oral	RS-11		* Treatment use if Formulary / Prophylaxis use is Restricted Status, as per the direction of AHS Public Health Outbreak Team	*F/RS
	valacyclovir	Valtrex	500 mg tab	oral	ASL-01		preferred formulary antiviral agent	F
8:30 Antiprotozoals								
	hydroxychloroquine	Plaquenil	200 mg tab	oral				F
	quinine sulfate	LCA	200 mg & 300 mg caps	oral				F
	metronidazole	LCA	500 mg capsule	topical*	RS-47		*Restricted for topical use. For oral use, select 250 mg tablet	RS
	metronidazole	Flagyl LCA	250 mg tab	oral				F
8:36 Urinary Anti-infectives								
	fosfomycin	Monurol LCA	3 g satchet	oral	HCD-24		Single dose regimen is SA; other dose regimens are NF	SA
	methanamine mandelate	Mandelamine	500 mg tab	oral				F
	nitrofurantoin	LCA	50 mg & 100 mg tablets	oral		RS-32		F
	nitrofurantoin macrocrystals/ monohydrate	MacroBID (use LCA)	100 mg capsule	oral		RS-32		F
	trimethoprim	Proloprim	100 mg tab	oral				F

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
------------	--------------	---	----------	-------------------------	--------------------------	----------------------------	--	--------

10:00 ANTINEOPLASTICS

	methotrexate	LCA	2.5 mg and 10 mg tablet	oral	RS-41			RS
			7.5 mg/0.3 mL prefilled syringe 10 mg/0.4 mL prefilled syringe 12.5mg/0.25 mL prefilled syringe* 15 mg/0.6 mL prefilled syringe 20 mg/0.8 mL prefilled syringe 25 mg/1 mL prefilled syringe *Metoject for this strength				Coverage is for LCA product (Pfizer or Hospira brand for most strengths). The Type A CCH to supply sterile safety needle (20G to 27G, 1" to 1½") if not provided with drug syringe.	
	methotrexate	LCA		injection	RS-41			RS

12:00 CHOLINERGIC DRUGS

12:04.00 Parasympathomemetic (Cholinergic) Agents

	bethanechol chloride	Duvoid, Urecholine	10 mg & 25 mg tabs	oral				F
	donepezil	Aricept	5 mg & 10 mg tabs, 1 mg/mL liquid	oral	HCD-09			SA
	galantamine ER	Reminyl	8 mg, 16 mg & 24 mg caps	oral	HCD-09			SA
	pyridostigmine	Mestinon	60 mg tab, 180mg SR tab	oral				F
	rivastigmine	Exelon	1.5 mg, 3 mg, 4.5 mg & 6mg caps, 2 mg/mL liquid	oral	HCD-09			SA
	rivastigmine	Exelon	4.6mg/24 hour, 9.6mg/24 hour patch	topical	HCD-09		further restricted to clients with documented intolerance with oral product	SA

12:08.08 Antimuscarinic/Antispasmodic Agents*

	atropine sulfate	LCA	0.4 mg/mL, 0.6 mg/mL	injection			0.6 mg/mL may be stocked in Statbox	F
	belladonna / ergotamine tartrate / phenobarbital	Bellergal Spacetabs	0.2mg*0.6mg*40mg tab	oral				F
	dicyclomine	Bentylol LCA	10 mg and 20 mg tab	oral				F
	glycopyrrolate		0.5 mg/mL oral compounded susp	oral			use glycopyrrolate powder for compounding	F
	indacaterol acetate / glycopyrronium / mometasone	Energair Breezhaler	150mcg* 50mcg*160mcg inhalation cap	for inhalation	RS-11		see 68:04 Adrenals for Trelegy	RS
	ipratropium bromide	Atrovent	20 mcg/dose MDI	inhaled				F
	ipratropium bromide nebulules	Atrovent LCA	125 mcg/mL & 250 mcg/mL inh solution	inhaled (nebulized)	RS-21	ASL-01	therapeutic substitution to MDI unless meets restrictions for nebule use	RS
	ipratropium bromide	Atrovent LCA	0.03% nasal spray	inhaled (nasal)	RS-38		0.06% strength is NF	RS
	ipratropium bromide / salbutamol nebulules	Combivent, Teva-Combo Sterinebs	0.2mg/mL*1mg/mL inh solution (0.5mg*2.5mg per 2.5 mL nebule)	inhaled (nebulized)	RS-21	ASL-01	therapeutic substitution to individual ingredient MDI unless meets restrictions for nebule use	RS
	scopolamine hydrobromide	LCA	0.4 mg/mL	injection				F
	tiotropium bromide	Spiriva	18 mcg inh cap	inhaled				F
	tiotropium bromide	Spiriva Respimat	2.5 mcg/dose inhalation solution	inhaled				F
	tiotropium bromide / olodaterol hydrochloride	Inspiolto Respimat	2.5 mcg/dose*2.5mcg/dose inhalation solution	inhaled				F

* see 68:04 Adrenals and 12:12 Sympathomimetic (Adrenergic) Agents for more inhalers

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
12:12 Sympathomimetic (Adrenergic) Agents**								
	budesonide/ formoterol fumarate dihydrate dry powder inhaler	Symbicort	100mcg/dose*6mcg/dose 200mcg/dose*6mcg/dose	inhaled	RS-29			RS
	epinephrine	Adrenalin	1 mg/mL (1 mL size)	injection				F
	formoterol fumarate	Foradil	12 mcg/dose inhalation capsule	inhaled				F
	formoterol fumarate	Oxeze	6mcg/dose 12mcg/dose	inhaled				F
	formoterol fumarate dihydrate/ mometasone furoate metered dose inhaler	Zenhale	5 mcg/dose*100mcg/dose & 5mcg/dose*200mcg/dose	inhaled	RS-29	ASL-01	Zenhale is the therapeutic substitution for Advair MDI	RS
	midodrine	LCA	2.5 mg & 5 mg tabs	oral				F
	pseudoephedine	Sudafed	60 mg tabs	oral				F
	salbutamol	Ventolin LCA	100 mcg MDI	inhaled				F
	salbutamol nebulules	Ventolin LCA	0.5 mg/mL, 1 mg/mL, 2 mg/mL & 5mg/mL inh solution	inhaled (nebulized)	RS-21	ASL-01		RS
	salmeterol	Serevent	25 mg MDI, 50 mg DPI	inhaled				F
	terbutaline sulfate	Bricanyl	0.5 mg/dose DPI	inhaled				F
	salmeterol xinafoate/ fluticasone propionate dry powder inhaler	LCA (Wixela, PMS)	50mcg/dose*100 mcg/dose 50mcg/dose*250mcg/dose & 50mcg/dose*500mcg/dose	inhaled	RS-29		Advair Diskus products would be considered non-formulary now due to availability of generics	RS
	salmeterol xinafoate/ fluticasone propionate metered dose inhaler	Advair MDI	non-formulary - therapeutic substitution to formoterol / mometasone MDI	inhaled		ASL-01	Advair MDI will be non-formulary Dec 1, 2021	NF-ASL

** see 68:04 Adrenals and 12:08.08 Antimuscarinic/Antispasmodic Agents for more inhalers

12:16.04 Selective α₁-Adrenergic Blocking Agents

	tamsulosin HCl	Flomax	0.4 mg CR cap, 0.4 mg SR tab	oral				F
--	----------------	--------	------------------------------	------	--	--	--	---

12:20 Skeletal Muscle Relaxant

	baclofen	Lioresal	10 mg & 20 mg tabs	oral				F
	cyclobenzaprine	Flexeril	10 mg tab	oral				F
	dantrolene sodium	Dantrium	25 mg & 100 mg caps	oral				F
	tizanidine	Zanaflex	4 mg tab	oral	RS-36		Approved for use for the management of spasticity, when consultation with a neurologist or physiatrist results in recommendations for use.	RS

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
12:92.00 Miscellaneous Autonomic Drugs								
	nicotine gum	Nicorette, Thrive, generic etc (use LCA)	2 mg & 4 mg	buccal	RS-26			RS
	nicotine inhaler	Nicorette	4 mg (in a 10 mg cartridge) 6 cartridges trial size or 42 cartridges size	buccal	RS-26			RS
	nicotine lozenge	Nicorette, Thrive, generic etc (use LCA)	1 mg, 2 mg & 4 mg	buccal	RS-26		note: brand to brand strenghts may not be equivalent (i.e. not 1:1). Consult product labelling or monograph	RS
	nicotine patch	Nicoderm, Nicotrol, generic etc (use LCA)	7 mg/hr, 14 mg/hr & 21 mg/hr varieties	transdermal	RS-26			RS
	nicotine spray	Nicorette Quick Mist	1 mg	buccal	RS-26			RS

20:00 BLOOD FORMATION AND COAGULATION

	apixaban	Eliquis	2.5 mg & 5 mg tabs	oral				F
	clopidogrel	Plavix	75 mg tab	oral				F
	dabigatran	Pradaxa	75 mg, 110 mg & 150 mg caps	oral	RS-11			RS
			10 mcg/syringe 20 mcg/syringe 30 mcg/syringe 40 mcg/syringe 50 mcg/syringe 60 mcg/syringe 80 mcg/syringe 100 mcg/syringe 130 mcg/syringe 150 mcg/syringe 200 mcg/syringe					
	darbepoetin alpha	Aranesp	300 mcg/syringe	injection	HCD-04			SA
	edoxaban	Lixiana	15 mg, 30 mg & 60 mg tabs	oral	RS-11			RS
			1000 unit/syringe 2000 unit/syringe 3000 unit/syringe 4000 unit/syringe 5000 unit/syringe 6000 unit/syringe 8000 unit/syringe 10,000 unit/syringe 20,000 unit/syringe 30,000 unit/syringe 40,000 unit/syringe					
	epoetin alpha	Epex		injection	HCD-04			SA

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
	enoxaparin	Inclunox Elonox Noromby Redesca Lovenox (NF*)	All strengths of pre-filled syringes	injection	RS-11		FPP-13 Biologics and Biosimilars FPP-09 Automatic Stop Orders Guideline Restricted to short-course orders, 35 days or less. See RS-11 for full details. *Effective January 10, 2022, Lovenox will be considered non-formulary as per Alberta Biosimilars Initiative	RS
	ferrous fumarate	Palafer	300 mg cap	oral				F
	ferrous gluconate	LCA	300 mg tab	oral				F
	ferrous sulfate	LCA	300 mg tab, 30 mg/mL liquid	oral				F
	heme iron polypeptide	Proferrin	non-formulary (therapeutic substitution to ferrous gluconate)		ASL-01			NF-ASL
	heparin sodium	LCA	10 000 unit/mL (1 mL or 5 mL)	injection				F
	pentoxifylline	Trental	400 mg tab	oral				F
	rivaroxaban	Xarelto	2.5 mg, 10 mg, 15 mg & 20 mg tabs	oral				F
	tinzaparin	Innohep	All strengths of pre-filled syringes	injection	RS-11		FPP-13 Biologics and Biosimilars FPP-09 Automatic Stop Orders Guideline Restricted to short-course orders, 35 days or less. See RS-11 for full details. *Effective January 10, 2022, Lovenox will be considered non-formulary as per Alberta Biosimilars Initiative	RS
	tranexamic acid	Cyklokapron	compounded 5% gel	topical				F
	warfarin	Coumadin	1 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg & 10 mg tabs	oral				F

24.04 Antiarrhythmic Agents

	amiodarone	Cordarone	200 mg tab	oral	RS-28		Restricted to use (or initiation) by cardiology or internal medicine	RS
	digoxin	Lanoxin	0.0625 mg, 0.125 mg & 0.25 mg tabs, 0.05 mg/mL oral liquid	oral				F
	disopyramide	Rythmodan	100 mg cap	oral	RS-28		Restricted to use (or initiation) by cardiology or internal medicine	RS
	flecainide acetate	Tambacor	50 mg & 100 mg tabs	oral	RS-28		Restricted to use (or initiation) by cardiology or internal medicine	RS
	mexiletine HCL	Mexitil	100 mg & 200 mg caps	oral	RS-28		Restricted to use (or initiation) by cardiology or internal medicine	RS
	procainamide	Procan SR	250 mg SR tab	oral	RS-28		Restricted to use (or initiation) by cardiology or internal medicine	RS
	propafenone HCL	Rythmol	150 mg & 300 mg tab	oral	RS-28		Restricted to use (or initiation) by cardiology or internal medicine	RS

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
24.06 Antilipemic Agents								
	atorvastatin	Lipitor	10 mg, 20 mg, 40 mg & 80 mg tabs	oral	RS-16			RS
	cholestyramine	Questran	4 g powder packet	oral				F
	fenofibrate nanocrystals	Lipidil EZ	non-formulary - therapeutic substitution to fenofibrate micronized	oral	ASL-01			NF-ASL
	fenofibrate micronized	Lipidil Micro	67 mg & 200 mg caps	oral	ASL-01		preferred formulary fenofibrate product	F
	fenofibrate nanocrystals	Lipidil Supra	non-formulary - therapeutic substitution to fenofibrate micronized	oral	ASL-01			NF-ASL
	gemfibrozil	Lopid	300 mg & 600 mg tabs	oral				F
	fluvastatin	Lescol	10 mg, 20 mg, 40 mg & 80 mg tabs	oral	RS-16			RS
	lovastatin	Mevacor	10 mg, 20 mg, 40 mg & 80 mg tabs	oral	RS-16			RS
	pravastatin	Pravachol	10 mg, 20 mg & 40 mg tabs	oral	RS-16			RS
	rosuvastatin	Crestor	5 mg, 10 mg, 20 mg & 40 mg tabs	oral	RS-16			RS
	simvastatin	Zocor	5 mg, 10 mg, 20 mg, 40 mg & 80 mg tabs	oral	RS-16			RS

24.08 Hypotensive Agents

	clonidine	Catapres	0.025 mg, 0.1 mg, & 0.2 mg tabs	oral				F
	hydralazine	Apresoline	10 mg, 25 mg & 50 mg tabs	oral				F

24.12 Vasodilating Agents

	dipyridamole / ASA	Aggrenox	200mg*25mg cap	oral				F
	isosorbide mononitrate	Imdur	60 mg ER tab	oral				F
	isosorbide dinitrate	Isordil	10 mg & 30 mg tabs	oral				F
	nitroglycerin	Nitro-Dur LCA (or other LCA brand if available)	0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr & 0.8 mg/hr patches	transdermal				F
	nitroglycerin	Nitrostat Nitrospray	0.3 mg & 0.6 mg sublingual tabs, 0.4 mg/dose sublingual spray	oral/sublingual				F

24.20 α -Adrenergic Blocking Agents

	prazosin	Minipress	1 mg, 2 mg & 5 mg tabs	oral				F
	terazosin	Hytrin	1 mg, 2 mg & 5 mg tabs	oral				F

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
24:24 β-Adrenergic Blocking Agents								
	acebutolol	Sectral	100 mg, 200 mg & 400 mg tabs	oral				F
	atenolol	Tenormin	25 mg, 50 mg & 100 mg tabs	oral				F
	bisoprolol	Monacor	1.25 mg, 2.5 mg, 5 mg & 10 mg tabs	oral				F
	carvedilol	Coreg	3.125 mg, 6.25 mg, 12.5 mg & 25 mg tabs	oral				F
	labetalol	Trandate	100 mg & 200 mg tabs	oral				F
	metoprolol	Lopresor	25 mg, 50 mg & 100 mg tabs	oral				F
	nadolol	Corgard	40 mg, 80 mg tabs	oral				F
	pindolol	Visken	5 mg, 10 mg tabs	oral				F
	propranolol	Inderal, Inderal LA	10 mg, 20 mg & 40 mg tabs, 80 mg, 120 mg & 160 mg LA caps	oral				F
	sotalol	Sotocor	160 mg tab	oral	RS-28		Restricted to use (or initiation) by cardiology or internal medicine	RS

24.28 Calcium Channel Blocking Agents

	amlodipine besylate	Norvasc	2.5 mg, 5 mg & 10 mg tabs	oral				F
	diltiazem	Cardizem	30 mg & 60 mg tabs (immediate release)	oral				F
	diltiazem controlled-delivery capsule	Cardizem CD, Diltiazem CD	120 mg, 180 mg, 240 mg & 300 mg caps	oral				F
	diltiazem extended-release capsule	Tiazac, Diltiazem-T, Diltiazem-ER	120 mg, 180 mg, 240 mg, 300 mg & 360 mg caps	oral				F
	felodipine	Plendil, Renedil	2.5 mg, 5 mg & 10 mg tabs	oral				F
	nifedipine	Adalat	non-formulary -therapeutic substitution to captopril for hypertensive crisis	oral	ASL-01		see auto-substitution when used for hypertensive crisis	NF-ASL
	nifedipine	Adalat XL	20 mg, 30 mg & 60 mg XL tabs	oral				F
	verapamil	Isoptin, Isoptin SR	80 mg & 120 mg tabs, 120 mg, 180 mg & 240 mg SR tabs	oral				F

24.32.04 Angiotensin Converting Enzyme Inhibitors/24:32.08 Angiotensin II Receptor Antagonists

	candesartan	Atacand	8 mg, 16 mg and 32 mg	oral		RS-34		F
	captopril	Capoten	6.25 mg, 12.5 mg & 25 mg tabs	oral		RS-34		F
	enalapril	Vasotec	2.5 mg tab	oral	RS-11	ASL-02	2.5 mg strength is available for use when client's dose is too low to substitute to ramipril	RS
	irbesartan	Avapro	75 mg, 150 mg, 300 mg	oral		RS-34		F
	lisinopril	Prinivil, Zestril	2.5 mg tab	oral	RS-11	ASL-02	2.5 mg strength is available for use when client's dose is too low to substitute to ramipril	RS
	losartan	Cozaar	25 mg, 50 mg, 100 mg & 150 mg tabs	oral		RS-34		RS
	ramipril	Altace	1.25 mg, 2.5 mg, 5 mg & 10 mg caps.	oral	ASL-02	RS-34		F
	perindopril	Coversyl	2 mg, 4 mg & 8 mg tabs	oral	RS-11	ASL-02		RS
	telmisartan	Micardis	40 mg & 80 mg.	oral		RS-34		F
	valsartan	Diovan	40 mg, 80 mg, 160 mg & 320 mg tabs.	oral		RS-34		F

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
------------	--------------	---	----------	-------------------------	--------------------------	----------------------------	--	--------

28:00 CENTRAL NERVOUS SYSTEM DRUGS

28:08 Analgesics and Antipyretics

	acetylsalicylic acid	Aspirin, ASA	80 mg or 81 mg chew tabs, 81 mg & 325 mg EC tabs	oral				F
	acetylsalicylic acid	Aspirin, ASA	650 mg supp	rectal				F
	celecoxib	Celebrex	100 mg & 200 mg caps	oral	RS-25		documented intolerance to traditional NSAIDs in combination with cytoprotection	RS
	diclofenac sodium	Voltaren, Voltaren SR	50 mg tab, 75mg & 100 mg SR tabs	oral				F
	diclofenac diethylamine	Voltaren Emulgel Extra Strength	2.32% gel	topical	RS-11	ASL-01	Voltaren 1.16% gel is non-formulary - therapeutic substitution to 2.32%. Additional restrictions apply to 2.32%	RS
	diclofenac sodium/ misoprostol	Arthrotec	50mg*200mg & 75mg*200mg EC tabs	oral				F
	ibuprofen	Advil, Motrin	200 mg, 300 mg, 400 mg & 600 mg tabs	oral				F
	indomethacin	Indocid	25 mg & 50 mg caps	oral				F
	naproxen	Naprosyn	125 mg, 250 mg, 375 mg & 500 mg tabs, 250 mg, 375 mg & 500 mg EC tabs	oral			Naproxen sodium and naproxen SR are non-formulary	F
	naproxen	Naprosyn	500 mg supp	rectal				F
	trolamine salicylate, triethanolamine,	Rub A535 No Odour, Myoflex, Aspercream, LCA	10% - 20% cream	topical			product must not contain methyl salicylate	F

28:08 Opiate Agonists

	codeine	LCA	15 mg & 30 mg tab, 5 mg/mL liquid	oral				F
	codeine / acetaminophen/ caffeine	Tylenol No. 1, Tylenol No. 2, Tylenol No. 3	8mg*300mg*15mg tab, 15mg*300mg*15mg tab, 30mg*300mg*15mg tab	oral				F
	codeine	LCA	30 mg/mL	injection				F
	fentanyl patch	LCA	12 mcg/hr, 25 mcg/hr, 37.5 mcg/hr, 50 mcg/hr, 75 mcg/hr & 100 mcg/hr patch	transdermal	HCD-08	FPP-11	12 mcg/hr may be considered Restricted Use when prescribed for palliative care	SA
	fentanyl citrate	LCA	50 mcg/mL (2 mL size)	injection	RS-31		for subcutaneous use, or sublingual use with restrictions	RS
	hydromorphone	Dilaudid	1 mg, 2 mg, 4 mg & 8 mg tabs, 1 mg/mL liquid	oral				F
	hydromorphone controlled-release	Hydromorph Contin	3 mg, 4.5 mg, 6 mg, 9 mg, 12 mg, 18 mg & 24 mg CR caps	oral				F
	hydromorphone	Dilaudid	2 mg/mL (1 mL size)	injection				F
	morphine hydrochloride	Ratio-Morphine	1 mg/mL syrup	oral				F
	morphine hydrochloride sustained-release	M.O.S. SR	30 mg & 60 mg SR tablets	oral				F
	morphine sulfate	MS,IR, Statex	5 mg, 10 mg, 25 mg & 50 mg Statex tabs, 5 mg, 10 mg, 20 mg and 30 mg MS,IR tabs	oral				F

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
	morphine sulfate extended-release	M-Eslon	10 mg, 15mg, 30 mg, 60 mg, 100 mg ER capsules	oral				F
	morphine sulfate sustained release	MS Contin, Teva-Morphine SR	15 mg, 30 mg, 60 mg, 100 mg SR tablets	oral				F
	morphine sulfate	Statex-Suppositories	5 mg, 10 mg, 20 mg and 30 mg supps	rectal				F
	morphine sulfate	LCA	2 mg/mL (1 mL size) with Formulary Restrictions 10 mg/mL (1 mL size)	injection	RS-11			RS / F
	oxycodone/ acetaminophen	Percocet, Endocet	5mg*325mg tab	oral				F
	oxycodone	Oxy-IR, Supeudol	5 mg, 10 mg & 20 mg tab	oral				F
	oxycodone controlled-release	LCA	5 mg, 10 mg , 15 mg, 20 mg, 30 mg, 40 mg, 60 mg & 80 mg CR tabs	oral	ASL-01		OxyNEO auto-subs to generic CR brands	F
	oxycodone	LCA	20 mg supp	rectal				F

28:08.92 Miscellaneous

	acetaminophen	Tylenol	325 mg & 500 mg tabs, 32 mg/mL & 80 mg/mL liquids	oral				F
	acetaminophen extended release	Tylenol Arthritis	650 mg ER	oral	RS-11		Restricted to clients on a maximum of two passtimes a day inclusive of all medications	RS
	acetaminophen	Abenol	650 mg supp	rectal				F

28:10 Opiate Antagonists

	naloxone	Narcan	0.4 mg/mL (1 mL size)	injection				F
	naltrexone	Revia	50 mg tab	oral	RS-11		for treatment of addictions	RS

28:12 Anticonvulsants

	carbamazepine	Tegretol	100 mg & 200 mg tabs, 200 mg & 400 mg CR tabs, 100 mg & 200mg chewable tabs	oral				F
	clobazam	Novo-Clobazam (LCA), Frisium	10 mg	oral	RS-11		To be used only when prescribed or recommended by a neurologist	RS
	divalproex sodium	Epival	125 mg, 250 mg & 500 mg tabs	oral				F
	gabapentin	Neurontin	100 mg, 300 mg & 400 mg caps	oral				F
	lamotrigine	Lamictal	25 mg, 100 mg & 150 mg caps	oral				F
	levetiracetam	Keppra	250 mg, 500 mg & 750 mg tabs	oral	RS-11		To be used only when prescribed or recommended by a neurologist	RS
	phenobarbital	Phenobarb	15 mg, 30 mg, 60 mg & 100 mg tabs, 5mg/mL liquid	oral				F
	phenobarbital	Phenobarb	120 mg/mL	injection				F
	primidone	Mysoline	125 mg & 250 mg tabs	oral				F
	phenytoin	Dilantin	50 mg tab, 30 mg & 100 mg caps	oral	ASL-01		phenytoin suspension - therapeutic substitution to tab/cap, or subject to NF approval process	F
	pregabalin	Lyrica	25 mg, 50 mg, 75 mg, 150 mg, 225 mg and 300 mg caps	oral	SA-28			SA

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
	topiramate	Topamax	25 mg, 50 mg, 100 mg & 200 mg tabs	oral				F
	valproic acid	Depakene	250 mg & 500 mg caps, 50 mg/mL liquid	oral				F

28:16.04 Antidepressants

	amitriptyline	Elavil LCA	10 mg, 25 mg, 50 mg & 75 mg tabs	oral				F
	bupropion extended release	Wellbutrin XL	150 mg & 300 mg XL tabs	oral				F
	bupropion sustained release	Wellbutrin SR / Zyban	100 mg & 150 mg SR tabs	oral				F
	citalopram	Celexa	10 mg, 20 mg & 40 mg tabs	oral			Health Canada Advisory (Jan 2012) - Celexa® (citalopram hydrobromide) should no longer be prescribed at doses greater than 40 mg per day. 20 mg per day is the maximum recommended dose for patients who are 65 years of age or who have other risk factors	F
	clomipramine	Anafranil	25 mg, 50 mg & 75 mg caps	oral				F
	desipramine	LCA	10 mg, 25 mg, 50 mg & 75 mg tabs	oral				F
	doxepin	Sinequan	10 mg, 25 mg, 50 mg & 75 mg caps	oral				F
	duloxetine	Cymbalta	30 mg & 60 mg caps	oral				F
	escitalopram	Ciprallex	10 mg & 20 mg tabs	oral				F
	fluoxetine	Prozac	10 mg & 20 mg caps	oral				F
	fluvoxamine	Luvox	50 mg & 100 mg tabs	oral				F
	imipramine	Tofranil	10 mg, 25 mg & 75 mg tabs	oral				F
	mirtazapine	Remeron, Remeron RD	15 mg, 30 mg & 45 mg tabs, 15 mg, 30 mg & 45 mg rapid dissolving tabs	oral			Health Canada Advisory (March 2014) Association of Remeron / Remeron RD (mirtazapine) with QT Prolongation/Torsades de Pointes	F
	moclobemide	Manerix	150 mg & 300 mg tabs	oral				F
	nortriptyline	Aventyl	10 mg & 25 mg caps	oral				F
	paroxetine	Paxil	10 mg, 20 mg & 30 mg tabs	oral				F
	sertraline	Zoloft	25 mg, 50 mg & 100 mg caps	oral				F
	trazodone	Desyrel	50 mg, 100 mg & 150 mg tabs	oral				F
	trimipramine	Surmontil	12.5 mg, 25 mg & 100 mg tabs	oral				F
	venlafaxine	Effexor XR	37.5 mg, 75 mg & 150mg XR caps	oral				F

28:16.08 Antipsychotics

	aripiprazole	Abilify Maintena	300 mg/vial & 400 mg/vial	injection	HCD-28			SA
	aripiprazole	Abilify	2 mg, 5 mg, 10 mg, 15 mg, 20 mg & 30 mg tabs	oral	SA-25			SA
	brexpiprazole	Rexulti	0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, & 4 mg	oral	SA-25			SA
	chlorpromazine	Largactil	25 mg, 50 mg & 100 mg tabs	oral				F
	clozapine	Clozaril	25 mg, 50 mg, 100 mg & 200 mg tabs	oral	RS-11		off-label use and compounded clozapine is non-formulary	RS

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
	flupentixol	Fluanxol	0.5 mg & 3 mg tabs	oral				F
	flupentixol decanoate	Fluanxol Depot	20 mg/mL & 100 mg/mL	injection				F
	haloperidol	Haldol	0.5 mg, 1 mg, 2 mg, 5 mg, 10 mg tabs, 2mg/mL liquid	oral				F
	haloperidol	Haldol	5mg/mL (1 mL size)	injection				F
	loxapine	Loxapac	2.5 mg, 5 mg, 10 mg & 25 mg tabs	oral				F
	loxapine	Loxapac	50 mg/mL	injection				F
	methotrimeprazine	Nozinan	2 mg, 5 mg, 25 mg & 50 mg tabs	oral				F
	methotrimeprazine	Nozinan	25 mg/mL (1 mL size)	injection				F
	olanzapine	Zyprexa, Zyprexa Zydis	2.5 mg, 5 mg, 7.5 mg, 10 mg & 15 mg tabs, 5 mg and 10 mg ODT	oral				F
	olanzapine	Zyprexa IM	10 mg/vial	injection				F
	paliperidone	Invega Sustenna	50 mg/syr, 75 mg/syr, 100 mg/syr & 150mg/syr	injection	HCD-28			SA
	periciazine	Neuleptil	5 mg, 10 mg & 20 mg caps, 10 mg/mL liquid	oral				F
	perphenazine	Trilafon	2 mg, 4 mg & 8 mg tabs, 3.2 mg/mL liquid	oral				F
	prochlorperazine	Stemetil	5 mg & 10 mg tabs, 1 mg/mL liquid	oral				F
	prochlorperazine	Stemetil	10 mg supp	rectal				F
	quetiapine	Seroquel	25 mg, 100 mg, 200 mg & 300 mg tabs	oral				F
	quetiapine extended release tablet	Seroquel XR	50 mg, 150 mg, 200 mg, 300 mg & 400 mg	oral				F
	risperidone	Risperdal	0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg & 4 mg tabs, 0.5 mg, 1 mg, 2 mg, 3 mg & 4 mg ODT tabs, 1mg/mL liquid	oral			Health Canada Advisory (Feb 2015): the indication for risperidone in dementia has been restricted to the short-term symptomatic management of aggression or psychotic symptoms in patients with severe dementia of the Alzheimer type unresponsive to non-pharm	F
	risperidone	Risperdal Consta	25 mg/vial, 37.5 mg/vial & 50 mg/vial	injection	HCD-28			SA
	trifluoperazine	Stelazine	1 mg, 2 mg & 5 mg tabs	oral				F
	zuclopenthixol	Clopixol	10 mg & 25 mg tabs	oral				F
	zuclopenthixol acetate	Clopixol Acuphase	50 mg/mL	injection				F
	zuclopenthixol deconoate	Clopixol Depot	50 mg/mL & 200 mg/mL	injection				F
12:28.20 - Respiratory and CNS Stimulants								
	methylphenidate	Ritalin	5 mg, 10 mg & 20 mg tabs	oral				F

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
28:24 Anxiolytics, Sedatives and Hypnotics								
	buspirone	Buspar	10 mg tab	oral	RS-03			RS
	chloral hydrate	LCA	500 mg/5mL liquid	oral				F
	clonazepam	Rivotril	0.25 mg, 0.5 mg, & 2 mg tabs	oral				F
	diazepam	Valium	2 mg & 5 mg tabs	oral				F
	diazepam	Valium	5 mg/mL	injection				F
	hydroxyzine	Atarax	10 mg, 25 mg & 50 mg caps, 10 mg/5mL liquid	oral				F
	lorazepam	Ativan, Ativan SL	0.5 mg, 1 mg & 2 mg tabs, 0.5 mg & 1 mg SL tabs	oral/sublingual				F
	lorazepam	Ativan	4 mg/mL	injection				F
	midazolam	Versed	1 mg/mL	injection	RS-11		When prescribed or recommended for palliative care	RS
	oxazepam	Serax	10 mg & 15 mg tabs	oral				F
	temazepam	Restoril	15 mg & 30 mg caps	oral				F
	zopiclone	Imovane	3.75 mg, 5 mg & 7.5 mg tabs	oral				F

28.28 – Antimanic Agents

	lithium carbonate	Carbolith	150 mg & 300 mg caps	oral				F
--	-------------------	-----------	----------------------	------	--	--	--	---

28.36 – Antiparkinsonism Agents

	amantadine	Symmetrel	100 mg cap, 10 mg/mL	oral			note: use in movement disorders is considered a regular LTC benefit	F
	bromocriptine	Parlodel	2.5 mg & 5 mg tabs	oral				F
	entacapone	Comtan	200 mg tab	oral			Stalevo is non-formulary	F
	levodopa / carbidopa	Sinemet, Sinemet CR	100mg*10mg, 100mg*25mg & 250mg*25mg tabs, 100mg*25mg &	oral	RS-35		Approved for use when prescribed for the management of parkinsonian symptoms.	RS
	levodopa / benserazide	Prolopa	50mg*12.5mg & 100mg*25mg caps	oral	RS-35		Approved for use when prescribed for the management of parkinsonian symptoms.	RS
	pramipexole	Mirapex	0.25 mg, 1 mg & 1.5 mg tabs	oral				F
	ropinirole	Requip	0.25 mg, 0.5 mg, 1 mg, 2 mg & 5mg tabs	oral				F
	selegiline	Eldepryl	5 mg tab	oral	RS-35		Approved for use when prescribed for the management of parkinsonian symptoms.	RS

28:36.08 Anticholinergic Agents

	benztropine mesylate	Cogentin	1 mg & 2 mg tabs	oral				F
	benztropine mesylate	Cogentin	1 mg/mL	injection				F
	procyclidine	Kemadrin	2.5 mg & 5 mg tabs	oral				F
	trihexyphenidyl	Artane	2 mg & 5 mg tabs	oral				F

28:92 Miscellaneous

	betahistine	Serc	16 mg tab	oral				F
	memantine	Ebixa	10 mg tab	oral	HCD-09			SA
	tetrabenazine	Nitoman	25 mg tab	oral	RS-11		To be used only when prescribed by a Neurologist, Geriatrician or Psychiatrist	RS

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
40:00 ELECTROLYTE, CALORIC AND WATER BALANCE AND ENZYMES								
	amiloride	Midamor	5mg tab	oral				F
	calcium carbonate	Apo-Cal, Tums Extra	1250 mg tab, 750 mg chew tab	oral	ASL-01		1000 mg chew tabs (Tums Ultra) and 500 mg chew tabs (Tums Regular) are non-formulary -see ASL-01	F
	calcium lactogluconate	Wampole, Solucal use LCA	20mg/mL	oral				F
	calcium polystyrene sulfonate	Resonium	powder	oral				F
	chlorthalidone	Thalitone	50 mg tab	oral				F
	dornase alpha	Pulmozyne	non-formulary for LTC		LTC Exemption			NF
	ethacrynic acid	Edecrin	25 mg tab	oral				F
	furosemide	Lasix	20 mg, 40 mg and 80 mg tabs	oral				F
	furosemide	Lasix	10 mg/mL (2 mL size)	injection				F
	hydrochlorothiazide	Hydrodiuril	12.5 mg, 25 mg & 50 mg tab	oral				F
	hydrochlorothiazide / amiloride	Moduret	50mg*5mg tab	oral				F
	indapamide	Lozide	1.25 mg & 2.5 mg tabs	oral				F
	lactulose	Chronulac	667 mg/mL liquid	oral				F
	magnesium salts	single entity	all formulations (LCA)	oral				F
	metolazone	Zaroxolyn	2.5 mg	oral				F
	phosphorus (sodium phosphate monobasic)	Phosphate Novartis	500 mg effervescent tablets	oral				F
	potassium chloride sustained release capsule	Jamp Potassium Chloride ER 8, Micro-K Extencaps 600 mg	8 mEq capsule	oral		ASL-01		F
	potassium chloride sustained-release tablet	Jamp K-8 600 mg, Sandoz/Euro K-8 600	8 mEq tablets, 20 mEq tablets	oral		ASL-01		F
	potassium chloride oral liquid	Potassium Chloride Oral Liquid	1.33 mEq/mL (20 mEq/15mL)	ora	LTC Wardstock and Statbox List	ASL-01		F
	potassium chloride	K-10, K-Dur, Micro-K, Slow-K	8 mEq K+/tab, 20 mEq K+/tab, 20 mEq K+/15 mL	oral				F
	sodium bicarbonate	LCA	all formulations (LCA)	oral				F
	sodium chloride	LCA	all formulations (LCA)	oral			saline (sodium chloride 0.9%) nebulas are non-formulary	F
	sodium polystyrene	Kayexalate	powder	oral				F
	spironolactone	Aldactone	25 mg & 100 mg tabs	oral				F
	triamterene / hydrochlorothiazide	Dyazide	50mg*25mg tab	oral				F
	urea crystals	LCA	USP 500 g & 1000 g (bulk)	oral				F
	water	LCA	sterile water for injection (10 ml, 20 mL)	injection				F

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
48:00 Antitussives & Expectorants								
	codeine phosphate	LCA brand	5 mg/mL oral liquid	oral				F
	dextromethorphan	LCA brand	15 mg/5mL oral liquid	oral				F
	dextromethorphan SR	Delsym	non-formulary - therapeutic substitution to dextromethorphan	oral	ASL-01			NF-ASL
	guaifenesin	LCA brand	100 mg/5mL liquid	oral				F
	acetylcysteine	Mucomyst	20% solution	inhaled (nebulized)			considered non-formulary if used for oral administration	F

48:10.32 Mast Cell Stabilizers

	cromolyn sodium	Cromolyn	2% eye drops	ophthalmic				F
--	-----------------	----------	--------------	------------	--	--	--	---

48:12.08 Respiratory Tract Anticholinergic Agents

	glycopyrronium	Seebri	50 mcg	inhaled (oral)				F
--	----------------	--------	--------	----------------	--	--	--	---

52:00 EYE, EAR, NOSE AND THROAT (EENT) PREPARATIONS

****NOTE: due to short expiry dates for ophthalmic products, products should be supplied in the smallest bottle sizes as appropriate.**

	chlorhexidine gluconate	Peridex, Perichlor	0.12% oral rinse, 0.12% - 1% oral compounded gel	oral				F
	ciprofloxacin	Ciloxan	0.3% eye drop, 0.3% eye ointment	ophthalmic				F
	dexamethasone / neomycin / polymyxin B	Maxitrol	0.1% eye drop, 0.1% eye ointment	ophthalmic				F
	erythromycin	LCA brand	5mg/g ointment	ophthalmic				F
	framycetin / gramicidin / dexamethasone	Sofracort	5 mg/mL * 0.05 mg/mL * 0.5 mg/mL drops	otic/ophthalmic				F
	fusidic acid	Fucithalmic	1% eye drops	ophthalmic				F
	gatifloxacin	Zymar	0.3% eye drops	ophthalmic				F
	moxifloxacin	Vigamox	0.5% eye drops	ophthalmic				F
	ofloxacin	Ocuflox	0.3% eye drops	ophthalmic				F
	polymyxin B / bacitracin	Sterisporin	10 000unit/g*500unit/g eye ointment	ophthalmic				F
	polymyxin B / gramicidin	Polysporin Eye and Ear Drops Optimyxin	10 000unit/mL*0.025mg/mL drops	otic/ophthalmic				F
	tobramycin	Tobrex	0.3% eye drop, 3 mg/g eye ointment	ophthalmic				F
	tobramycin / dexamethasone	Tobradex	0.3%*0.1% eye drop, eye ointment	ophthalmic				F

52:08 (EENT) Corticosteroids

	beclomethasone dipropionate aqueous	Beconase Aq	non-formulary - therapeutic substitution to mometasone	inhaled (nasal)	ASL-01			NF-ASL
	bromfenac	Prolensa	non-formulary - therapeutic substitution to diclofenac	ophthalmic	ASL-01			NF-ASL
	budesonide	Rhinocort	non-formulary - therapeutic substitution to mometasone	inhaled (nasal)	ASL-01			NF-ASL
	dexamethasone	Maxidex	0.1% eye drops, 0.1% eye ointment	ophthalmic				F

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
	diclofenac ophthalmic	Voltaren	0.1% eye drops	ophthalmic	ASL-01		preferred ophthalmic non-steroid anti-inflammatory	F
	flumethasone / clioquinol	Locacorten Vioform	0.02%*1% ear drops	otic				F
	flunisolide	Rhinalar	non-formulary - therapeutic substitution to mometasone	inhaled (nasal)	ASL-01			NF-ASL
	fluticasone	Fionase	non-formulary - therapeutic substitution to mometasone	inhaled (nasal)	ASL-01			NF-ASL
	ketorolac	Acular	non-formulary - therapeutic substitution to diclofenac	ophthalmic	ASL-01			NF-ASL
	mometasone furoate	Nasonex	50 mcg/spray	inhaled (nasal)	ASL-01		preferred nasal corticosteroid	F
	nepafenac	Nevanac, Ilevro	non-formulary - therapeutic substitution to diclofenac	ophthalmic	ASL-01			NF-ASL
	prednisolone	Pred Forte	1% eye drops	ophthalmic				F
	triamcinolone	Nasocort AQ	non-formulary - therapeutic substitution to mometasone	inhaled (nasal)	ASL-01			NF-ASL

52:40 Carbonic Anhydrase Inhibitors

	acetazolamide	Diamox	250 mg tab	oral				F
	brinzolamide	Azopt	non-formulary - therapeutic substitution to dorzolamide	ophthalmic	ASL-01	ASL-03		NF-ASL
	brinzolamide / timolol	Azarga	non-formulary - therapeutic substitution to dorzolamide / timolol	ophthalmic	ASL-01	ASL-03		NF-ASL
	dorzolamide	Trusopt	2% eye drops	ophthalmic			preferred carbonic anhydrase inhibitor	F
	dorzolamide / timolol	Cosopt	2%*0.5% eye drops	ophthalmic			cost-effective combination product	F

52:40 Prostaglandin Analogs

	bimatoprost	Lumigan, Vistitan	non-formulary - therapeutic substitution to latanoprost	ophthalmic	ASL-01	ASL-03		NF-ASL
	latanoprost	Xalatan	0.005% eye drops	ophthalmic			preferred prostaglandin analogue	F
	latanoprost / timolol	Xalacom	0.005%*0.5% eye drops	ophthalmic			cost-effective combination product	F
	travoprost	Travatan Z	non-formulary - therapeutic substitution to latanoprost	ophthalmic	ASL-01	ASL-03		NF-ASL

52:00 Miscellaneous

52:24:00	atropine sulfate	Isopto Atropine	1% eye drops (5mL)	ophthalmic or oral-lingual				F
	benzydamine	Tantum	0.15% liquid	oral rinse				F
	betaxolol	Betoptic-S	0.25% eye drops	ophthalmic				F
	brimonidine	Alphagan	0.2% eye drops	ophthalmic				F
	brimonidine tartrate (with PURITE)	Alphagan-P	non-formulary - therapeutic substitution to brimonidine 0.2% eye drops	ophthalmic	ASL-01	ASL-03		NF-ASL
	brimonidine / timolol	Combigan	non-formulary - therapeutic substitution to individual components	ophthalmic	ASL-01	ASL-03		NF-ASL

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
	brimonidine / brinzolamide	Simbrinza	non-formulary - therapeutic substitution applies	ophthalmic	ASL-01	ASL-03		NF-ASL
	carboxymethylcellulose / electrolytes	Mois-Stir	liquid spray	oral			If MCS, use next LCA	F
	ophthalmic lubricant with preservative - carboxymethylcellulose sodium	Refresh Tears	0.5% eye drops (with purite preservative)	ophthalmic	ASL-01		preferred ophthalmic lubricant	F
	ophthalmic lubricant PF unit dose - carboxymethylcellulose sodium	Refresh Celluvisc or Refresh+ Plus	1% liquigel PF minims & 0.5% solution PF minims	ophthalmic	ASL-01	RS-11	1% may be stocked in wardstock	RS
	lidocaine	Xylocaine	2% viscous oral solution	oral				F
	mineral oil, heavy	LCA	mineral oil, heavy	otic	ASL-01		therapeutic substitution for Cerumenex ®	F
	ophthalmic lubricant ointment	any brand excluding Lacri-Lube	therapeutic substitution to white petrolatum, mineral oil (Lacri-Lube ®)	ophthalmic	ASL-01		Alternatively, if Lacri-Lube is MCS, may therapeutic substitution to Systane Lubricating Eye Ointment 3.5 g). Dispense 3.5 g unless client's monthly use requires the larger pack size	NF-ASL
	pilocarpine	Isopto-carpine	2% (15mL)	ophthalmic			Minims are non-formulary	F
	polyethylene / propylene glycol	Secaris	30 g & 5 gm nasal gel	nasal			Use 5 gm size for first dispense and/or wardstock	F
	sodium chloride hypertonic	Muro 128	5% eye drops, 5% eye ointment	ophthalmic				F
	tetracaine	Pontocaine	0.5% eye drops	ophthalmic				F
	timolol	Timoptic (LCA)	0.25% & 0.5% eye drops	ophthalmic	ASL-03			F
	timolol	Timoptic XE (LCA)	0.25% & 0.5% eye drops	ophthalmic	ASL-03			F
	white petrolatum, mineral oil	Lacri-lube	gel	ophthalmic	ASL-01		preferred ophthalmic lubricant ointment	F
	xylometazoline	Otrivin	0.05% & 0.1% nasal spray	nasal				F

56:00 GASTROINTESTINAL DRUGS

56:04 Antacids & Adsorbents

	activated charcoal	Charac, Charactol	25 g & 50 g (aqueous), 25 g & 50 g (in sorbitol)	oral				F
	aluminum hydroxide / magnesium hydroxide	Almagel	40mg/ml*40mg/mL liquid	oral				F
	aluminum hydroxide / magnesium hydroxide / simethicone	Almagel Plus	40mg/mL*40mg/mL*5mg/mL liquid	oral				F
	alginate acid, magnesium carbonate	Gaviscon	200mg*40mg tab	oral				F
	bismuth subsalicylate	Pepto Bismol (use LCA)	262 mg caplet	oral				F
	sodium alginate, aluminum hydroxide	Gaviscon	50mg/mL*20mg/mL liquid	oral				F

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
56:00 Antidiarrhea and Antiflatulent Agents								
	loperamide	Imodium	2 mg tab	oral				F
	saccharomyces boulardii	Florastor	non-formulary delisted Jan 2025	oral				NF
	simethicone	Ovol	80 mg & 180 mg tab	oral				F
56:12 Cathartics & Laxatives								
	bisacodyl	Dulcolax	5 mg tab	oral				F
	bisacodyl	Dulcolax	10 mg supp	rectal				F
	casacara sagrada	Cascara	non-formulary - therapeutic substitution to senna	oral	ASL-01			NF-ASL
	electrolyte solutions	Colyte, Gastrolyte	powder	oral				F
	glycerin	LCA	2.7 g supp	rectal				F
	lactulose	Chronulac	667 mg/mL liquid	oral				F
	magnesium citrate	Citro-Mag	0.05 g/mL liquid	oral				F
	magnesium hydroxide	Milk of Magnesia	80 mg/mL liquid	oral				F
	magnesium hydroxide/paraffin	Magnolax	non-formulary - therapeutic substitution to Milk of Magnesia	oral	ASL-01			NF-ASL
	polyethylene glycol 3350	Restoralax, Lax-a-day	powder	oral				F
	psyllium mucilloid	Metamucil	powder, sugar-free powder	oral				F
	sennosides	Senokot	8.6 mg tab	oral				F
	sodium phosphate dibasic / sodium phosphate monobasic	Fleet	0.06g/mL*0.16g/mL enema	rectal				F
56:16 Digestants								
	pancrelipase (Lipase-Amylase-Protease)	Pancrease, Cotazym, Creon, Viokase, Ultrase	all formulations	oral				F
56:22 Antihistamines								
	dimenhydrinate	Gravol	50 mg tab	oral				F
	dimenhydrinate	Gravol	25 mg and 100 mg supps	rectal				F
	dimenhydrinate	Gravol	50 mg/mL (1 mL size)	injection				F
56:22.20 5-HT3 Receptor Antagonists								
	ondansetron	Zofran	4 mg and 8 mg tabs	oral	SA-31		Client must meet SA criteria and the form must be submitted prior to drug provision if it's a new start or within 14 days of admission or hospital discharge	SA

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
56:28 Antiulcer agents & Acid suppressants								
	dexlansoprazole	Dexilant	non-formulary	oral	ASL-05			NF-ASL
	esomeprazole	Nexium	non-formulary	oral	ASL-05			NF-ASL
	famotidine	Pepcid	10 mg, 20 mg & 40 mg tabs	oral				F
	lansoprazole	Prevacid LCA	15 mg DR cap	oral	ASL-05	RS-04	Restricted for patients with difficulty swallowing requiring a low-strength PPI.	RS
	lansoprazole	Prevacid LCA	non-formulary for 30 mg DR cap	ora	ASL-05			NF-ASL
	lansoprazole	Prevacid Fastabs	15 mg & 30 mg oral disintegrating tabs	oral	ASL-05	RS-04	Restricted for NPO, enteral tubes greater than or equal to 8 French	RS
	misoprostol	Cytotec	100 mcg & 200 mcg tabs	oral				F
	omeprazole	Losec LCA	20 mg DR cap	oral	ASL-05	RS-04	Restricted for patients with difficulty swallowing and requiring a standard strength PPI.	RS
	omeprazole suspension	compounded	2 mg/mL	oral	ASL-05	RS-04	Restricted preferred PPI suspension for clients on enteral tubes less than 8 FRENCH	RS
	omeprazole	Losec LCA	non-formulary for 10 mg DR cap, and 10 mg & 20 mg DR tab	oral	ASL-05			NF-ASL
	pantoprazole sodium	Pantoloc LCA	non-formulary	oral	ASL-05			NF-ASL
	pantoprazole sodium suspension	compounded	2 mg/mL	oral	ASL-05	RS-04	Restricted for residents unable to use omeprazole suspension due to drug-drug interaction	RS
	pantoprazole magnesium	Tecta LCA	40 mg EC tab	oral	ASL-05	RS-04	Preferred PPI for patients requiring a standard strength PPI.	RS
	rabeprazole sodium	Pariet LCA	10 mg EC tab	oral	ASL-05	RS-04	Preferred PPI for patients requiring a low-strength PPI. If pantoprazole magnesium 40 mg EC tab is MCS, may substitute rabeprazole 20 mg EC	RS
	ranitidine	Zantac	150 mg & 300 mg tabs	oral			15mg/mL liquid is subject to NF approval process	F
56:32 Prokinetic Agents								
	domperidone	Motilium	10 mg tab	oral			Health Canada Advisory (March 2012) - The risk of serious ventricular arrhythmias or sudden cardiac death may be higher in patients taking daily doses greater than 30 mg, and in patients older than 60 years of age	F
	metoclopramide	Maxeran	5 mg & 10 mg tabs, 1 mg/mL liquid	oral				F
	metoclopramide	Maxeran	5 mg/mL (2 mL size)	injection				F

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
56:36 Anti-Inflammatory Agents								
	mesalamine (mesalazine, 5-ASA)	Asacol, Mesasal, Mezavant, Novo-5-ASA, Pentasa, Salofalk	all strengths and oral formulations	oral				F
	mesalamine (5-ASA)	Salofalk, Pentasa	all strengths and rectal formulations	rectal				F

68:00 HORMONES & SYNTHETIC SUBSTITUTES

68:04 Adrenals[^]

	beclomethasone dipropionate	Qvar	50 mcg/dose & 100 mcg/dose	inhaled				F
	budesonide	Entocort	3mg cap	oral	RS-45		Restricted for treatment of inflammatory bowel disease and prescription by gastroenterology, internal medicine, or general surgery	RS
	budesonide	Pulmicort Nebuamp	0.125 mg/mL & 0.25 mg/mL (nebulers)	inhaled (nebulized)	RS-21		Max of 72 hours of therapy, PRN or routine, when patient in acute respiratory distress <u>or</u> tapered therapy for maximum of 120 days when client has significant psychological addiction to nebulized medications	RS
	budesonide	Pulmicort Turbuhaler	100 mcg/dose, 200 mcg/dose and 400 mcg/dose	inhaled				F
	budesonide / glycopyrronium bromide / formoterol fumarate dihydrate	Breztri Aerosphere	160 mcg/dose * 7.2 mcg/dose * 5 mcg/dose inhalation metered dose aerosol	inhaled	RS-11			RS
	dexamethasone	LCA	0.5 mg & 4 mg tabs	oral				F
	dexamethasone	Decadron	10 mg/mL (1 mL size or 10 mL multidose size)	injection			Use 1 mL size for Statbox	F
	fludrocortisone	Florinef	0.1 mg tab	oral				F
	fluticasone furoate / umeclidinium bromide / vilanterol trifenate	Trelegy Ellipta	100mcg*62.5mcg*25mcg /dose	inhaled	RS-11		see 12:08.08 Antimuscarinics/Antispasmodics for Enerzair Breezehaler	RS
	fluticasone propionate metered dose inhaler	Flovent LCA	125 mcg/dose, 250 mcg/dose MDI	inhaled				F
	fluticasone propionate dry powder inhaler	Flovent Diskus	100 mcg/dose & 250 mcg/dose Diskus	inhaled				F
	hydrocortisone	Cortef	10mg tab	oral				F
	methylprednisolone	Medrol	4 mg tab	oral				F
	methylprednisolone acetate	Depo-Medrol	40 mg/mL	injection				F
	prednisone	Deltasone	1 mg, 5 mg & 50 mg tabs	oral				F
	triamcinolone	Kenalog	10 mg/mL & 40 mg/mL	injection				F

[^]see 12:08.08 Antimuscarinic/Antispasmodics and 12:12 Sympathomimetics (Adrenergic) Agents for more inhalers

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
68:16.04 Estrogens								
	estradiol-17β	Vagifem	10 mcg tab	vaginal				F
	estrogen, conjugated	Premarin	0.3 mg, 0.625 mg, 0.9 mg & 1.25 mg tabs	oral				F
	estrogen, conjugated	Premarin	0.625 mg/g cream	vaginal				F
	estrone	Estragyn	0.1% cream	vaginal				F

68:20 Antidiabetic Agents

	dapagliflozin	Forxiga	5mg and 10 mg tabs	oral				F
	dapagliflozin / metformin	Xigduo	5mg*1000mg & 5mg*850mg tabs	oral				F
	empagliflozin	Jardiance	10 mg & 25 mg tabs	oral	SA-30			SA
	empagliflozin / metformin	Synjardy	12.5mg*1000mg 12.5mg*500mg 12.5mg*850mg 5mg*1000mg 5mg*500mg 5mg*850mg tabs	oral	SA-30			SA
	gliclazide	Diamicron Diamicron MR	80 mg tab 30 mg & 60 mg MR tabs	oral				F
	linagliptin	Trajenta	5 mg tab	oral	SA-30			SA
	metformin	Glucophage	500 mg & 850 mg tabs	oral				F
	repaglinide	Gluconorm	0.5 mg, 1 mg & 2 mg tabs	oral				F
	sitagliptin	Januvia	25 mg, 50 mg & 100 mg tabs	oral	SA-30			SA
	repaglinide	Gluconorm	0.5 mg, 1 mg & 2 mg tabs	oral				F

68:22 Glycogenolytic Agents

	glucagon nasal powder	Baqsimi	3 mg device	intranasal	RS-11		For hypoglycemic treatment when unconscious or otherwise unable to take oral glucose	RS
--	-----------------------	---------	-------------	------------	-----------------------	--	--	----

68:20.08 Insulins

For all insulin products, resident-specific dispensing is preferred over supplying as wardstock. Any exceptions should be approved through the Type A CCH's medication management committee.

For all insulin products, the pre-filled disposable pens are considered the formulary listing

be dispensed if: a) a

	insulin aspart	NovoRapid	non-formulary	injection				NF
	insulin aspart	Trurapi	100 unit/mL pen (3mL)	injection	RS-40	FPP-13	Biosimilar drugs Alberta.ca	RS
	insulin detemir	Levemir	non-formulary					NF
	insulin glargine	Basaglar	non-formulary effective May 31, 2025	injection				NF-ASL
	insulin glargine	Lantus	non-formulary	injection				NF-ASL
	insulin glargine	Semglee	100 unit/mL pen (3mL)	injection	ASL-01	FPP-13	Biosimilar drugs Alberta.ca	F

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
	insulin human biosynthetic isophane	Humulin N	100 unit/mL pen (3mL)	injection	ASL-01		Novolin ge NPH is non-formulary - see therapeutic substitution	F
	insulin human biosynthetic regular	Humulin R	100 unit/mL pen (3mL)	injection	ASL-01		Novolin ge Toronto is non-formulary - see therapeutic substitution	F
	insulin human biosynthetic regular / insulin human biosynthetic isophane	Humulin 30/70	30 unit/mL * 70 unit/mL cartridge	injection	ASL-01		Novolin ge 30/70 is non-formulary - see therapeutic substitution	F
	insulin lispro	Humalog	non-formulary	injection		FPP-13	Biosimilar drugs Alberta.ca	NF
	insulin lispro	Admelog	100 unit/mL pens	injection	RS-40	FPP-13	Biosimilar drugs Alberta.ca	RS
	insulin lispro / insulin lispro protamine	Humalog Mix 25, Humalog Mix 50	25 (25% * 75%), 50 (50% * 50%) pens	injection	RS-40			RS

68:00 Miscellaneous Agents

	calcitonin	Calcimar	200 unit/mL	injection	RS-33			RS
	desmopressin acetate	DDAVP	0.1 mg & 0.2 mg tabs	oral	RS-11		To be used only when prescribed by a neurologist or endocrinologist	RS
	desmopressin acetate	DDAVP	10 mcg/dose	nasal spray	RS-11		To be used only when prescribed by a neurologist or endocrinologist	RS
	levothyroxine	Eltroxin, Synthroid (use LCA)	all strengths	oral				F
	medroxyprogesterone	Provera	2.5 mg & 5 mg tabs	oral				F
	oral contraceptives	all brands (LCA)	all strengths	oral				F
	methimazole	Tapazole (use LCA)	5 mg	oral				F

72:00 Local Anesthetics

	lidocaine hydrochloride	Xylocaine, lidocaine hydrochloride	1% injection (10mg/5mL size)	injection				F
--	-------------------------	------------------------------------	------------------------------	-----------	--	--	--	---

84:00 SKIN & MUCOUS MEMBRANE AGENTS

84:04:00 Anti-infectives

	ciclopirox	Loprox	non-formulary - therapeutic substitution to clotrimazole cream	topical	ASL-01			NF-ASL
	clotrimazole	Canesten, Clotrimaderm	1% cream, powder	topical	RS-23	RS-17		RS
	clotrimazole	Canesten, Clotrimaderm	1% & 2% cream	vaginal	RS-23			RS
	fusidic acid	Fucidin	2% cream, 2% ointment	topical				F
	ketconazole	Nizoral	non-formulary - therapeutic substitution to clotrimazole cream	topical	ASL-01			NF-ASL
	ketconazole	Nizoral	shampoo	topical				F
	metronidazole	Metrogel 1%, Noritate 1%	1% gel, 1% cream	topical	RS-47	ASL-01	0.75% gel therapeutic substitution to 1% gel, 0.75% cream is therapeutic substitutions to 1% cream. Restricted use criteria apply	RS

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
	metronidazole	Nidagel 0.75%, Flagyl 10%	0.75% Vaginal gel & 10% Vaginal cream	vaginal				F
	miconazole	Monistat	cream is non-formulary	topical	ASL-01		therapeutic substitution to clotrimazole cream	NF-ASL
	miconazole	Micatin spray	2% powdered spray	topical	ASL-01		Nystatin powder has a therapeutic substitution to Micatin spray	F
	mupirocin	Bactroban	non-formulary - therapeutic substitution to fucidic acid 2% ointment	topical	ASL-01		Use non-formulary process for MRSA	NF-ASL
	nystatin	Mycostatin	100 000 unit/g cream	topical				F
	nystatin	commercial or compounded powder	non-formulary	topical	ASL-01		July 1-Sept 30, 2022 Transition of nystatin powder to non-formulary, and implementation of therapeutic substitution to miconazole 2% spray powder.	NF-ASL
	nystatin	Mycostatin	25 000 unit/g cream	vaginal				F
	permethrin	Kwelleda-P, Nix	1% cream rinse, 5% cream, 5% lotion	topical				F
	polymyxin B / bacitracin	Polysporin, Polytopic	10 000units/g*500 units/g ointment	topical				F
	polymyxin B / gramicidin	Polysporin	10 000units/g*0.25mg/g cream	topical				F
	selenium sulfide	Selsun	2.5% shampoo	topical				F
	silver sulfadiazine	Flamazine	1% cream	topical			note: expires 7 days after opening	F
84:04:08	terbinafine	Lamisil	1% cream (therapeutic substitution to clotrimazole 1% unless RS criteria met)	topical	ASL-01	RS-17		RS
	tolnaftate	Tinactin	powder, aerolized powder, spray, cream	topical				F

84:06 Anti-inflammatory Agents

	amcinonide	Cyclocort	0.1% cream, ointment and lotion	topical	ASL-01			F
	betamethasone dipropionate	Diprosone, Ratio-Topisone	0.05% cream, ointment and lotion	topical	ASL-01			F
	betamethasone valerate	Betaderm Mild, Celestoderm V/2, Ratio-Ectosone	0.05% cream, ointment and lotion	topical				F
	betamethasone valerate	Celestoderm V, Ratio-Ectosone Regular	0.1% cream and ointment	topical	ASL-01			F
	betamethasone valerate	Ratio-Ectosone	0.1% scalp lotion and lotion	topical				F
	hydrocortisone 17-valerate	Hydroval	0.2% cream and ointment	topical	ASL-01			F
	flumethasone-cloquinol	Locacorten Vioform	non-formulary	topical	ASL-01		therapeutic substitution to betamethasone valerate 0.1% / nystatin 100,000 unit/g 1:1	NF-ASL
	clobetasol 17-propionate	Dermovate	0.05%, cream, ointment and scalp lotion	topical	ASL-01			F
	hydrocortisone acetate	Hyderm	0.5% cream and ointment	topical	ASL-01			F
	hydrocortisone acetate	Hyderm	1% cream and ointment	topical	ASL-01			F

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
	hydrocortisone	Jamp-Hydrocortisone	1% lotion	topical				F
	triamcinolone acetonide	Oracort dental	0.1% paste	topical				F
	hydrocortisone / zinc sulfate	Anusol-HC, Anodan-HC	0.5%*0.5% ointment, 10mg*10mg supps	rectal				F

84:08 Antipruritics, Local Anesthetics

	benzoyl peroxide	Benoxyl, Panoxyl	5% & 10% lotions, 5% gel	topical				F
	hydrocortisone / framycetin / cinchocaine / esculin	Proctosedyl, Proctol	5mg*10mg*5mg*10 mg supps, 0.5%*1%*0.5%*1 % ointment	rectal				F
	lidocaine	Xylocaine	2% jelly, 5% ointment	topical			use NF process for unit dose sterile syringes	F
	urea	Uremol, Urist	10% & 20% creams, 10% lotion	topical	RS-11		moved to restricted status	RS
	urea-hydrocortisone	Uremol HC	10-1% cream., 10-1% lotion	topical				F
	zinc sulfate	Anusol	0.5% ointment	rectal				F

84:28 Keratolytic Agents

	salicylic acid	Compound W, Soluver	17% -40% topical liquid or gel	topical			select lowest-cost product based on availability	F
--	----------------	---------------------	--------------------------------	---------	--	--	--	---

84:92 Miscellaneous Agents

	calcipotriol / betamethasone dipropionate	Dovobet	50mcg/g*0.5mg/g ointment, 50mcg/g*0.5mg/g gel	topical	RS-11		when prescribed or recommended by a dermatologist	RS
	calcipotriol	Dovonex	50 mcg/g ointment	topical	RS-11		when prescribed or recommended by a dermatologist	RS
	fluorouracil (5-FU)	Efudex	5% cream	topical			may be covered by TBCC for squamous cell carcinoma and other cancers. Formulary for other indications	F
	imiquimod	Aldara	5% cream	topical	HCD-02			SA

86:00 SMOOTH MUSCLE RELAXANTS

	darifenacin	Enablex	non-formulary - therapeutic substitution to solifenacin	oral	ASL-01			NF-ASL
	oxybutynin	Ditropan	2.5 mg & 5 mg tabs	oral				F
	solifenacin	Vesicare	5 mg & 10 mg tabs	oral			preferred smooth muscle relaxant	F
	theophylline	Theo-Dur	100 mg, 200 mg & 300 mg tabs	oral				F
	tolterodine L-tartrate	Detrol, Detrol LA	non-formulary - therapeutic substitution to solifenacin	oral	ASL-01			NF-ASL
86:12.08.12	mirabegron	Myrbetriq	25 mg & 50 mg ER tabs	oral	RS-46			RS

88:00 VITAMINS

	alfacalcidol	One-Alpha	0.25 mcg, 1 mcg caps	oral				F
	calcitriol	Rocaltrol	0.25 mcg & 0.5 mcg caps	oral				F

AHFS Class	Generic Name	Brand Name & Synonyms (LCA to be dispensed when available) ¹	Strength	Route of Administration	Relevant Formulary Links	Relevant Formulary Links 2	Formulary Considerations (and applicable Health Canada Advisories)	Status
	cholecalciferol	Vitamin D3	400 units, 1000 units, 10 000 units, and 50,000 units oral solid dosage forms	oral				F
	cyanocobalamin	Vitamin B12	500 mcg & 1000 mcg tabs (regular release)	oral	ASL-01		all specialty oral formulations substitute to regular release product	F
	cyanocobalamin	Vitamin B12	1000 mcg/mL (1 mL size preferred)	injection	RS-11		for residents who are unable to take solid or crushed oral dosage form	RS
	folic acid	Folic Acid	1 mg & 5 mg tabs	oral				F
	multivitamin with minerals (ocular)	Vitalux AREDs-type	LCA AREDs-based product, beta-carotene-free formulation for smokers	oral				F
	multivitamin with/or without minerals	Centrum-type	LCA oral solid product, with or without minerals	oral				F
	multivitamin with/or without minerals	Maltlevol-type	LCA oral liquid product, with or without minerals	oral				F
	multivitamin plain (renal)	Replavite	LCA oral solid product	oral				F
	thiamine	Vitamin B1	50 mg & 100 mg tabs	oral				F
	Vitamin K1	Vitamin K1 phytonadione	10 mg/mL (1 mL size)	injection *oral	RS-05		*may be given for oral administration	RS
	Vitamin K1	Vitamin K1, Webber K1 / Vitamin D	120 mcg in LCA multivitamin, 120mcg*1000 unit tab	oral				F
	Vitamin E	Vitamin E	400 unit cap	oral				F

92:00 MISCELLANEOUS THERAPEUTIC AGENTS

	allopurinol	Zyloprim	100 mg, 200 mg & 300 mg tabs	oral				F
	azathioprine	Imuran	50 mg tab	oral				F
	cyproterone	Androcur	50 mg tab	oral	RS-42		restricted for use in treatment of inappropriate sexual behaviors	RS
	incobotulinum toxin A (botulinum toxin A (150KD), free from complexing protein)	Xeomin	non-formulary	injection				NF
	onabotulinum toxin A	Botox	non-formulary	injection				NF
	colchicine	LCA	0.6 mg tab	oral				F
	dutasteride	Avodart	0.5 mg cap	oral	RS-13			RS
	finasteride	Proscar	5 mg tab	oral	RS-13			RS

92:24 Bone Resorption Inhibitors

	alendronate	Fosamax	non-formulary - therapeutic substitution to risedronate	oral	ASL-01			NF-ASL
	clodronate	Bonefos	400 mg cap	oral				F
	etidronate	Didrocal	non-formulary - therapeutic substitution to risedronate	oral	ASL-01			NF-ASL
	risedronate	Actonel	35 mg (all other strengths therapeutic substitution to 35 mg)	oral	ASL-01		preferred formulary bisphosphonate	F
	zoledronic acid	Aclasta	0.05 mg/mL injection	intravenous	RS-11			RS