

# References

Chapters 1 – 3

Knowledge Topics 1 – 11

Appendices

**Knowledge Topic Participant Handouts** do not include references for the sake of minimal printing, but are available upon request by emailing: [tru@ahs.ca](mailto:tru@ahs.ca).

## Chapter 1:

1. Johnson, K., Posner, S. F., Biermann, J., Cordero, J. F., Atrash, H. K., Parker, C. S., Boulet, S. B., & Curtis, M. G. (2006). Recommendations to improve preconception health and health care—United States. *Morbidity and Mortality Weekly Report*, 55(4), 1–23.
2. Frey, K. A., Navarro, S. M., Kotelchuck, M., & Lu, M. C. (2008). The clinical content of preconception care: Preconception care for men. *American Journal of Obstetrics and Gynecology*, 199(6), S389–S395.
3. Canadian Action Network for the Advancement, Dissemination and Adoption of Practice-informed Tobacco (CAN-ADAPTT). (2011). Practice-informed and evidence-based smoking cessation guideline. Toronto, ON: Author.
4. Chamberlain, C., O'Mara-Eves, A., Oliver, S., Caird, J. R., Perlen, S. M., Eades, S. J., & Thomas, J. (2013). Psychosocial interventions for supporting women to stop smoking in pregnancy. *Cochrane Database of Systematic Reviews*, 2013 Oct 23(10), CD001055.
5. Sedgh, G., Singh, S., & Hussain, R. (2014). Intended and unintended pregnancies worldwide in 2012 and recent trends. *Studies in Family Planning*, 45(3), 301-14.
6. Chaiton, M., Diemert, L., Cohen, J. E., Bondy, S. J., Selby, P., Philipneri, A., & Schwartz, R. (2016). Estimating the number of quit attempts it takes to quit smoking successfully in a longitudinal cohort of smokers. *BMJ Open*, 6(6), e011045.
7. Heaman, M., Lindsay, J., & Kaczorowski, J. (2009). Smoking. In Public Health Agency of Canada (Ed.), *What mothers say: The Canadian Maternity Experiences Survey*. Ottawa, ON: Author.
8. Greaves, L., Poole, N., Okoli, C. T. C., Hemsing, N., Qu, A., Bialystok, L., & O'Leary, R. (2011). *Expecting to quit: A best-practices review of smoking cessation interventions for pregnant and post-partum women* (2nd ed.). Vancouver, BC: British Columbia Centre of Excellence for Women's Health.
9. Tobacco Use and Dependence Guideline Panel. (2008). *Treating tobacco use and dependence: 2008 update*. Rockville, MD: U.S. Department of Health and Human Services.

## Chapter 2:

1. Greaves, L., Poole, N., Okoli, C. T. C., Hemsing, N., Qu, A., Bialystok, L., & O'Leary, R. (2011). *Expecting to quit: A best-practices review of smoking cessation interventions for pregnant and post-partum women* (2nd ed.). Vancouver, BC: British Columbia Centre of Excellence for Women's Health.
2. Park, S.-J., Yi, B., Lee, H.-S., Oh, W.-Y., Na, H.-K., Lee, M., & Yang, M. (2015). To quit or not: Vulnerability of women to smoking tobacco. *Journal of Environmental Science and Health, Part C*, 34(1), 33-56.
3. Ben-Zaken Cohen, S., Pare, P. D., Paul Man, S. F., & Sin, D. D. (2007). The growing burden of chronic obstructive pulmonary disease and lung cancer in women. *American Journal of Respiratory and Critical Care Medicine*, 176(2), 113-20.
4. Sørheim, I.-C., Johannessen, A., Gulsvik, A., Bakke, P. S., Silverman, E. K., & DeMeo, D. L. (2010). Gender differences in COPD: are women more susceptible to smoking effects than men? *Thorax*, 65(6), 480-85.
5. Pinkerton, K. E., Harbaugh, M., Han, M. K., Jourdan Le Saux, C., Van Winkle, L. S., Martin, W. J. 2nd, ... George, M. (2015). Women and lung disease. Sex differences and global health disparities. *American Journal of Respiratory and Critical Care Medicine*, 192(1), 11-16.
6. Foreman, M. G., Zhang, L., Murphy, J., Hansel, N. N., Make, B., Hokanson, J. E., ... COPDGene Investigators. (2011). Early-onset chronic obstructive pulmonary disease is associated with female sex, maternal factors, and African American race in the COPDGene Study. *American Journal of Respiratory and Critical Care Medicine*, 184(4), 414-20.
7. Gershon, A., Hwee, J., Victor, J. C., Wilton, A., Wu, R., Day, A., & To, T. (2015). Mortality trends in women and men with COPD in Ontario, Canada, 1996–2012. *Thorax*, 70(2), 121-6.

# References

Chapters 1 – 3

Knowledge Topics 1 – 11

Appendices

8. De Matteis, S., Consonni, D., Pesatori, A. C., Bergen, A. W., Bertazzi, P. A., Caporaso, N. E., . . . Landi, M. T. (2013). Are women who smoke at higher risk for lung cancer than men who smoke? *American Journal of Epidemiology*, 177(7), 601-12.
9. Park, S. K., Cho, L. Y., Yang, J. J., Park, B., Chang, S. H., Lee, K. S., . . . Scientific Committee, Korean Academy of Tuberculosis and Respiratory Diseases. (2010). Lung cancer risk and cigarette smoking, lung tuberculosis according to histologic type and gender in a population based case-control study. *Lung Cancer*, 68(1), 20-26.
10. Huxley, R. R., & Woodward, M. (2011). Cigarette smoking as a risk factor for coronary heart disease in women compared with men: A systematic review and meta-analysis of prospective cohort studies. *Lancet*, 378(9799), 1297-1305.
11. Lee, M. H., Ahn, S. V., Hur, N. W., Choi, D. P., Kim, H. C., & Suh, I. (2011). Gender differences in the association between smoking and dyslipidemia: 2005 Korean National Health and Nutrition Examination Survey. *Clinica Chimica Acta*, 412(17/18), 1600-1605.
12. Grundtvig, M., Hagen, T. P., Amrud, E. S., & Reikvam, A. (2013). Reduced life expectancy after an incident hospital diagnosis of acute myocardial infarction—effects of smoking in women and men. *International Journal of Cardiology*, 167(6), 2792-7.
13. Johnson, K. C., Miller, A. B., Collishaw, N. E., Palmer, J. R., Hammond, S. K., Salmon, A. G., . . . Turcotte, F. (2011). Active smoking and secondhand smoke increase breast cancer risk: the report of the Canadian Expert Panel on Tobacco Smoke and Breast Cancer Risk (2009). *Tobacco Control*, 20(1), e2.
14. Chen, C., Huang, Y.-B., Liu, X.-O., Gao, Y., Dai, H.-J., Song, F.-J., . . . Chen, K.-X. (2014). Active and passive smoking with breast cancer risk for Chinese females: A systematic review and meta-analysis. *Chinese Journal of Cancer*, 33(6), 306-16.
15. Catsburg, C., Kirsh, V. A., Soskolne, C. L., Kreiger, N., & Rohan, T. E. (2014). Active cigarette smoking and the risk of breast cancer: a cohort study. *Cancer Epidemiology*, 38(4), 376-81.
16. Centre for Addiction and Mental Health. (2009). *Women and Smoking Cessation*. Toronto, ON: Author.
17. Dechanet, C., Anahory, T., Mathieu Daude, J. C., Quantin, X., Reyftmann, L., Hamamah, S., . . . Dechaud, H. (2011). Effects of cigarette smoking on reproduction. *Human Reproduction Update*, 17(1), 76-95.
18. Allen, A. M., Oncken, C., & Hatsukami, D. (2014). Women and smoking: The effect of gender on the epidemiology, health effects, and cessation of smoking. *Current Addiction Reports*, 1(1), 53-60.
19. File, S. E., Fluck, E., & Leahy, A. (2001). Nicotine has calming effects on stress-induced mood changes in females, but enhances aggressive mood in males. *The International Journal of Neuropsychopharmacology*, 4(04), 371-6.
20. Perkins, K. A., Giedgowd, G. E., Karelitz, J. L., Conklin, C. A., & Lerman, C. (2012). Smoking in response to negative mood in men versus women as a function of distress tolerance. *Nicotine and Tobacco Research*, 14(12), 1418-25.
21. Amos, A., Greaves, L., Nichter, M., & Bloch, M. (2012). Women and tobacco: A call for including gender in tobacco control research, policy and practice. *Tobacco Control*, 21, 236-43.
22. Berlin, I., Grange, G., Jacob, N., & Tanguy, M.-L. (2014). Nicotine patches in pregnant smokers: Randomised, placebo controlled, multicentre trial of efficacy. *British Medical Journal*, 348, g1622.
23. Ebert, L., van der Riet, P., & Fahy, K. (2009). What do midwives need to understand/know about smoking in pregnancy? *Women and Birth*, 22(1), 35-40.
24. Ussher, M. H., Taylor, A. H., & Faulkner, G. E. (2014). Exercise interventions for smoking cessation. *Cochrane Database of Systematic Reviews*, 2014 Aug 29(8), CD02295.
25. Leon-Carrion, J., Garcia-Orza, J., & Perez-Santamaria, F. J. (2004). Development of the inhibitory component of the executive functions in children and adolescents. *International Journal of Neuroscience*, 114(10), 1291-1311.
26. Torres, O. V., Tejada, H. A., Natividad, L. A., & O'Dell, L. E. (2008). Enhanced vulnerability to the rewarding effects of nicotine during the adolescent period of development. *Pharmacology Biochemistry and Behavior*, 90(4), 658-63.

# References

Chapters 1 – 3  
Knowledge Topics 1 – 11  
Appendices

27. Gehricke, J.-G., Loughlin, S. E., Whalen, C. K., Potkin, S. G., Fallon, J. H., Jamner, L. D., . . . Leslie, F. M. (2007). Smoking to self-medicate attentional and emotional dysfunctions. *Nicotine and Tobacco Research*, 9(Suppl 4), S523-S536.
28. Beal, S. J., Negriff, S., Dorn, L. D., Pabst, S., & Schulenberg, J. (2014). Longitudinal associations between smoking and depressive symptoms among adolescent girls. *Prevention Science*, 15(4), 506-15.
29. Dorn, L. D., Negriff, S., Huang, B., Pabst, S., Hillman, J., Braverman, P., & Susman, E. J. (2009). Menstrual symptoms in adolescent girls: Association with smoking, depressive symptoms, and anxiety. *Journal of Adolescent Health*, 44(3), 237-43.
30. Dorn, L. D., Beal, S. J., Kalkwarf, H. J., Pabst, S., Noll, J. G., & Susman, E. J. (2013). Longitudinal impact of substance use and depressive symptoms on bone accrual among girls aged 11–19 years. *Journal of Adolescent Health*, 52(4), 393-99.
31. Delpisheh, A., Attia, E., Drammond, S., & Brabin, B. J. (2006). Adolescent smoking in pregnancy and birth outcomes. *The European Journal of Public Health*, 16(2), 168-72.
32. Jeha, D., Usta, I. M., Ghulmiyyah, L., & Nassar, A. H. (2015). A review of the risks and consequences of adolescent pregnancy. *Journal of Neonatal-Perinatal Medicine*, 8(1), 1-8.
33. Tobacco Use and Dependence Guideline Panel. (2008). *Treating tobacco use and dependence: 2008 update*. Rockville, MD: U.S. Department of Health and Human Services.
34. O'Dell, L. E., & Torres, O. V. (2014). A mechanistic hypothesis of the factors that enhance vulnerability to nicotine use in females. *Neuropharmacology*, 76, 566-80.
35. Pomerleau, C. S., Zucker, A. N., & Stewart, A. J. (2001). Characterizing concerns about post-cessation weight gain: Results from a national survey of women smokers. *Nicotine and Tobacco Research*, 3(1), 51-60.
36. Nakajima, M., & al'Absi, M. (2012). Predictors of risk for smoking relapse in men and women: A prospective examination. *Psychology of Addictive Behaviors*, 26(3), 633.
37. Westmaas, J. L., Wild, T. C., & Ferrence, R. (2002). Effects of gender in social control of smoking cessation. *Health Psychology*, 21(4), 368.
38. Greaves, L. (2015). The meanings of smoking to women and their implications for cessation. *International Journal of Environmental Research and Public Health*, 12(2), 1449-65.
39. Graham, H. (1993). *When life's a drag: Women, smoking and disadvantage*. London: University of Warwick and Department of Health.
40. Greaves, L. (1996). *Smoke screen: Women's smoking and social control*. Halifax, NS: Fernwood.
41. Dennis, S. (2016). *Smokefree: A social, moral and political atmosphere*. Sydney, Australia: Bloomsbury.
42. Cepeda-Benito, A., Reynoso, J. T., & Erath, S. (2004). Meta-analysis of the efficacy of nicotine replacement therapy for smoking cessation: Differences between men and women. *Journal of Consulting and Clinical Psychology*, 72(4), 712-22.
43. Weinberger, A. H., Smith, P. H., Allen, S. S., Cosgrove, K. P., Saladin, M. E., Gray, K. M., . . . McKee, S. A. (2015). Systematic and meta-analytic review of research examining the impact of menstrual cycle phase and ovarian hormones on smoking and cessation. *Nicotine and Tobacco Research*, 17(4), 407-21.
44. Greaves, L., Hemsing, N., Poole, N., Bialystok, L., & O'Leary, R. (2016). From fetal health to women's health: Expanding the gaze on intervening on smoking during pregnancy. *Critical Public Health*, 26(2), 230-38.
45. Wigginton, B., & Lee, C. (2012). A story of stigma: Australian women's accounts of smoking during pregnancy. *Critical Public Health*, 23(4), 466-81.
46. American College of Obstetricians and Gynecologists. (2011). *Smoking cessation during pregnancy: A clinician's guide to helping pregnant women quit smoking*. Washington, DC: Author.
47. Trauma-Informed Practice Project Team. (2013). *Trauma-informed practice guide*. Vancouver, BC: B.C. Provincial Mental Health and Substance Use Planning Council.
48. Jean Tweed Centre. (2013). *Trauma matters: Guidelines for trauma-informed services in women's substance use services*. Toronto, ON: Author.

# References

Chapters 1 – 3  
Knowledge Topics 1 – 11  
Appendices

49. Fu, S. S., McFall, M., Saxon, A. J., Beckham, J. C., Carmody, T. P., Baker, D. G., & Joseph, A. M. (2007). Post-traumatic stress disorder and smoking: A systematic review. *Nicotine and Tobacco Research*, 9(11), 1071-84.
50. Amstadter, A. B., Resnick, H. S., Nugent, N. R., Acierno, R., Rheingold, A. A., Minhinnett, R., & Kilpatrick, D. G. (2009). Longitudinal trajectories of cigarette smoking following rape. *Journal of Traumatic Stress*, 22(2), 113-21.
51. Weaver, T. L., & Etzel, J. C. (2003). Smoking patterns, symptoms of PTSD and depression: Preliminary findings from a sample of severely battered women. *Addictive Behaviors*, 28(9), 1665.
52. Trauma-Informed Practice Project Team. (2013). Trauma-informed practice guide. Vancouver, BC: B.C. Provincial Mental Health and Substance Use Planning Council.
53. Aguiar, W., & Halseth, R. (2015). Aboriginal peoples and historic trauma: The processes of intergenerational transmission. Prince George, BC: National Collaborating Centre for Aboriginal Health.
54. Browne, A. J., Varcoe, C. M., Wong, S. T., Smye, V. L., Lavoie, J., Littlejohn, D., ... Lennox, S. (2012). Closing the health equity gap: Evidence-based strategies for primary health care organizations. *International Journal for Equity in Health*, 11(1), 1.
55. Bottorff, J. L., Carey, J., Poole, N., Greaves, L., & Urquhart, C. (2008). Couples and smoking: What you need to know when you are pregnant. Vancouver, BC: British Columbia Centre of Excellence for Women's Health, Institute for Health Living and Chronic Disease Prevention, University of British Columbia Okanagan, and NEXUS.
56. Greaves, L., Kalaw, C., & Bottorff, J. L. (2007). Case studies of power and control related to tobacco use during pregnancy. *Women's Health Issues*, 17(5), 325-32.
57. Bottorff, J. L., Kalaw, C., Johnson, J. L., Stewart, M., Greaves, L., & Carey, J. (2006). Couple dynamics during women's tobacco reduction in pregnancy and postpartum. *Nicotine and Tobacco Research*, 8(4), 499-509.
58. Stunden Bower, S. (2014). Sick of inequality: The case for action by the Government of Alberta on the social determinants of health. Edmonton, AB: Parkland Institute.
59. World Health Organization. (2011). Global status report on noncommunicable diseases 2010. Geneva: Author.
60. Baggett, T. (2016). Smoking's grip adds to misery of the homeless. Nashville, TN: National Health Care for the Homeless Council.
61. Hemsing, N., Greaves, L., & Poole, N. (2015). Tobacco cessation interventions for underserved women. *Journal of Social Work Practice in the Addictions*, 15(3), 267-87.
62. Propel Centre for Population Health Impact. (2015). Tobacco use in Canada: Patterns and trends, 2015 edition. Waterloo, ON: University of Waterloo.
63. Orisatoki, R. (2013). The public health implications of the use and misuse of tobacco among the Aboriginals in Canada. *Global Journal of Health Science*, 5(1), 28.
64. Small, S., Porr, C., Swab, M., & Murray, C. (2015). The experience and cessation needs of Indigenous women who smoke during pregnancy: A systematic review of qualitative evidence protocol. *JBHI Database of Systematic Reviews and Implementation Reports*, 13(4), 51-64.
65. Physicians for a Smoke-Free Canada. (2013). Smoking among Aboriginal Canadians. Ottawa, ON: Author.
66. Shubair, M. M. (2014). Review and synthesis of smoking cessation interventions in the Canadian Aboriginal population. *Universal Journal of Public Health*, 2(2), 50-53.

## Chapter 3:

1. Tobacco Use and Dependence Guideline Panel. (2008). Treating tobacco use and dependence: 2008 update. Rockville, MD: U.S. Department of Health and Human Services.
2. Health Canada. (2001). Prenatal and postpartum women and tobacco. Ottawa, ON: Author.
3. American College of Obstetricians and Gynecologists. (2011). Smoking cessation during pregnancy: A clinician's guide to helping pregnant women quit smoking. University of North Carolina: Author.

# References

Chapters 1 – 3  
Knowledge Topics 1 – 11  
Appendices

4. Kroenke K, Spitzer RL, Williams JB. The Patient Health Questionnaire-2: Validity of a Two-Item Depression Screener. *Medical Care* 2003, (41) 1284-1294.
5. Milidou, I., Henriksen, T. B., Jensen, M. S., Olsen, J., & Sondergaard, C. (2012). Nicotine replacement therapy during pregnancy and infantile colic in the offspring. *Pediatrics*, 129(3), e652-8.
6. Miller, W. R., & Rollnick, S. (2013). *Motivational interviewing: Helping people change*. 3rd Edition. New York, NY: Guilford Press.
7. Greaves, L., Poole, N., Okoli, C. T. C., Hemsing, N., Qu, A., Bialystok, L., & O'Leary, R. (2011). *Expecting to quit: A best-practices review of smoking cessation interventions for pregnant and post-partum women* (2nd ed.). Vancouver, BC: British Columbia Centre of Excellence for Women's Health.
8. Cheung, Y. W. (2000). Substance abuse and developments in harm reduction. *Canadian Medical Association Journal*, 162(12), 1697-1700.
9. Marlatt, G. A., Blume, A. W., & Parks, G. A. (2001). Integrating harm reduction therapy and traditional substance abuse treatment. *Journal of Psychoactive Drugs*, 33(1), 13-21.
10. O'Dell, L. E., & Torres, O. V. (2014). A mechanistic hypothesis of the factors that enhance vulnerability to nicotine use in females. *Neuropharmacology*, 76, 566-80.
11. O'Hara, M. W., & McCabe, J. E. (2013). Postpartum depression: Current status and future directions. *Annual Review of Clinical Psychology*, 9, 379-407.
12. Kroon, L. A. (2007). Drug interactions with smoking. *American Journal of Health-System Pharmacy*, 64(18), 1917-21.
13. Desai, H. D., Seabolt, J., & Jann, M. W. (2001). Smoking in patients receiving psychotropic medications. *CNS Drugs*, 15(6), 469-94.
14. NSW Government Health. (2016). Tool 7. Quick guide to drug interactions with smoking cessation. North Sydney, Australia: Author. SHPN (CPH) 160016 <http://www.health.nsw.gov.au/tobacco/Factsheets/tool-7-guide-dug-interactions.pdf>
15. Benowitz, N. L., & Dempsey, D. (2004). Pharmacotherapy for smoking cessation during pregnancy. *Nicotine and Tobacco Research*, 6(Suppl.2), 189-202.
16. Dempsey, D. A., & Benowitz, N. L. (2001). Risks and benefits of nicotine to aid smoking cessation in pregnancy. *Drug Safety*, 24(4), 277-322.
17. Bowker, K., Lewis, S., Coleman, T., & Cooper, S. (2015). Changes in the rate of nicotine metabolism across pregnancy: a longitudinal study. *Addiction*, 110(11), 1827-32.
18. Ebert, L., Van der Riet, P., & Fahy, K. (2009). What do midwives need to understand/know about smoking in pregnancy? *Women and Birth*, 22(1), 35-40.
19. Solomon, L. J., Higgins, S. T., Heil, S. H., Badger, G. J., Thomas, C. S., Bernstein, I. M. (2007). Predictors of postpartum relapse to smoking. *Drug and Alcohol Dependence*, 90(2), 224-7.
20. University of California. (2015). SCLC: Drug interactions with tobacco smoke, Rx for Change, 2015. Retrieved from <https://smokingcessationleadership.ucsf.edu/factsheets/sclc-drug-interactions-tobacco-smoke-rx-change-2015>.
21. Coleman, T., Chamberlain, C., Davey, M. A., Cooper, S. E., & Leonardi-Bee, J. (2012). Pharmacological interventions for promoting smoking cessation during pregnancy. *Cochrane Database of Systematic Reviews*, 2012 Sep 12(9), CD010078.
22. Heaman, M., Lindsay, L., & Kaczorowski, J. (2009). Smoking. In Public Health Agency of Canada (Ed.), *What mothers say: The Canadian Maternity Experiences Survey, 2009* (299-305). Ottawa, ON: Public Health Agency of Canada.
23. Chamberlain, C., O'Mara-Eves, A., Oliver, S., Caird, J. R., Perlen, S. M., Eades, S. J., & Thomas, J. (2013). Psychosocial interventions for supporting women to stop smoking in pregnancy. *Cochrane Database of Systematic Reviews*, 2013 Oct 23(10), CD001055.
24. Pregnets. (n.d.). *Pregnancy and smoking: A literature review that investigates the unique challenges that women experience during and after pregnancy*. Toronto, ON: Centre of Addiction and Mental Health.



# References

## Chapters 1 – 3 Knowledge Topics 1 – 11 Appendices

25. Healthy Parents, Healthy Children. (2016). Benefits of breastfeeding. Edmonton, AB: Alberta Health Services. Retrieved from <http://www.healthyparentshealthychildren.ca/feeding-your-baby/breastfeeding/breastfeeding-your-baby/benefits-of-breastfeeding>.
26. Primo, C. C., Ruela, P. B. F., A. Brotto, L. D., Garcia, T. R., & De Fatima Lima, E. (2013). Effects of maternal nicotine on breastfeeding infants. *Revista Paulista de Pediatria*, 31(3), 392-7.
27. Mennella, J. A., Yourshaw, L. M., & Morgan, L. K. (2007). Breastfeeding and smoking: short-term effects on infant feeding and sleep. *Pediatrics*, 120(3), 497-502.
28. La Leche League International. (2008). Is it safe for a smoker to breastfeed her baby? What about using the nicotine patch and other smoking cessation aids? Raleigh, NC: Author.
29. LaFleur, E. (2012). Infant and toddler health: What causes a low milk supply during breastfeeding? Madison, WI: Mayo Clinic.
30. Kirn, T. F. (2007). Nicotine in breast milk disrupts infant's sleep. *Pediatric News*, 41(11), 26.

### Knowledge Topic 1:

1. National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health. (2010). How tobacco smoke causes disease: What it means to you. Atlanta, GA: U.S. Department of Health and Human Services Alberta Health Services. (2014). Let's Talk About series: Smoking and pregnancy. Edmonton, AB: Author.
2. National Cancer Institute and Centers for Disease Control and Prevention. (2014). Smokeless tobacco and public health: A global perspective. Bethesda, MD: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention and National Institutes of Health, National Cancer Institute. NIH Publication No. 14-7983.
3. Canadian Tobacco Alcohol and Drugs Survey (CTADS). (2013). Ottawa, ON: Health Canada.
4. Davis, B. (2016). Unexpected nicotine in do-it-yourself electronic cigarette flavourings. *Tobacco Control*, 25(e1), e67-e68.
5. Grana, R., Benowitz, N., & Glantz, S. A. (2014). E-cigarettes: A scientific review. *Circulation*, 129(19), 1972-1986.
6. O'Leary, R., MacDonald, M., Stockwell, T., & Reist, D. (2017). Clearing the air: A systematic review on the harms and benefits of e-cigarette and vapour devices. Victoria, BC: Centre for Addictions Research of BC.
7. Kosmider, L., Sobczak, A., Prokopowicz, A., Kurek, J., Zaciera, M., Knysak, J., Smith, D., & Goniewicz, M. L. (2016). Cherry-flavoured electronic cigarettes expose users to the inhalation irritant, benzaldehyde. *Thorax*, 71(4), 376-7.
8. Allen, J. G., Flanigan, S. S., LeBlanc, M., Vallarino, J., MacNaughton, P., Stewart, J. H., Christiani, D. C. (2016). Flavoring chemicals in e-cigarettes: diacetyl, 2, 3-pentanedione, and acetoin in a sample of 51 products, including fruit-, candy-, and cocktail-flavored e-cigarettes. *Environmental Health Perspectives*, 124(6), 733.
9. Chapman, R. (2015). State health officer's report on e-cigarettes: A community health threat. Sacramento, CA: California Department of Public Health, California Tobacco Control Program.
10. U.S. Food and Drug Administration. (2009). Summary of results: Laboratory analysis of electronic cigarettes conducted by FDA. Washington, DC: Author.
11. Non-Smoker's Rights Association and Smoking and Health Action Foundation. (2015). E-cigarettes: Understanding the potential risks and benefits. Toronto: Non-Smokers' Rights Association. <http://nsra-adnf.ca/key-issue/e-cigarettes-fact-sheet-understanding-the-potential-risks-and-benefits/>
12. Health Canada. (2009, March 27). Health Canada advises Canadians not to use electronic cigarettes. Ottawa, ON: Author.
13. World Health Organization. (2014). Electronic nicotine delivery systems. Geneva: Author.
14. O'Leary, R., MacDonald, M., Stockwell, T., & Reist, D. (2017). Clearing the air: A systematic review on the harms and benefits of e-cigarettes and vapour devices. Victoria, BC: Centre for Addictions Research of BC.

# References

Chapters 1 – 3

Knowledge Topics 1 – 11

Appendices

15. Tobacco Free Initiative, World Health Organization. (2005). Waterpipe tobacco smoking: Health effects, research needs and recommended actions by regulators. Geneva: Author.
16. Czoli, C. D., Hammond, D., Reid, J. L., Cole, A. G., & Leatherdale, S. T. (2015). Use of conventional and alternative tobacco and nicotine products among a sample of Canadian youth. *Journal of Adolescent Health, 57*(1), 123-5.
17. Alberta Health Services. (2014). Tobacco Information series: Waterpipe smoking. Edmonton, AB: Author.
18. Alberta Health Services. (2014). Let's Talk About series: Hookah. Edmonton, AB: Author.
19. Czoli, C. D., Leatherdale, S. T., & Rynard, V. (2013). Bidi and hookah use among Canadian youth: findings from the 2010 Canadian Youth Smoking Survey. *Preventing Chronic Disease, 10*, E73.
20. Bak, J. H., Lee, S. M. & Lim, H. B. (2015). Safety assessment of mainstream smoke of herbal cigarettes. *Toxicological Research, 31*(1), 41.
21. Hammal, F. (2014). Waterpipe use in Canada: Evidence, perceptions, and policy implications. Edmonton, AB: University of Alberta.
22. Alberta Perinatal Health Program. (2014). Smoking rate among teen women giving birth in Alberta, 2014. Alberta Health Services. Unpublished raw data.
23. Hemsing, N., Greaves, L., & Poole, N. (2015). Tobacco cessation interventions for underserved women. *Journal of Social Work Practice in the Addictions, 15*(3), 267-87.
24. Ontario Program Training and Consultation Centre. (2010). Women and tobacco info pack. Toronto, ON: Author.
25. Women's Heart Foundation. (2007). Women and heart disease facts. Hamilton, NJ: Author.
26. Catsburg, C., Kirsh, V. A., Soskolne, C. L., Kreiger, N., & Rohan, T. E. (2014). Active cigarette smoking and the risk of breast cancer: A cohort study. *Cancer Epidemiology, 38*(4), 376-81.
27. Bjerkaas, E., Parajuli, R., Weiderpass, E., Engeland, A., Maskarinec, G., Selmer, R., & Gram, I. T. (2013). Smoking duration before first childbirth: an emerging risk factor for breast cancer? Results from 302,865 Norwegian women. *Cancer Causes and Control, 24*(7), 1347-56.
28. Johnson, K. C., Miller, A. B., Collishaw, N. E., Palmer, J. R., Hammond, S. K., Salmon, A. G., . . . Turcotte, F. (2011). Active smoking and secondhand smoke increase breast cancer risk: the report of the Canadian Expert Panel on Tobacco Smoke and Breast Cancer Risk (2009). *Tobacco Control, 20*(1), e2.
29. Skorge, T. D., Eagan, T. M., Eide, G. E., Gulsvik, A., & Bakke, P. S. (2005). The adult incidence of asthma and respiratory symptoms by passive smoking in utero or in childhood. *American Journal of Respiratory and Critical Care Medicine, 172*(1), 61-6.
30. SmokeFreeWomen. (n.d.). 11 harmful effects of smoking on women's health. Retrieved from: <http://women.smokefree.gov/11-harmful-effects-of-smoking-on-women%E2%80%99s-health.aspx>.
31. Van Zyl Smit, R. N., Pai, M., Yew, W. W., Leung, C. C., Zumia, A., Bateman, E. D., & Dheda, K. (2010). Global lung health: The colliding epidemics of tuberculosis, tobacco smoking, HIV and COPD. *European Respiratory Journal, 35*(1), 27-33.
32. Maurya, V., Vijayan, V., & Shah, A. (2002). Smoking and tuberculosis: An association overlooked. *The International Journal of Tuberculosis and Lung Disease, 6*(11), 942-951.
33. Arcavi, L., & N. L. Benowitz. (2004). Cigarette smoking and infection. *Archives of Internal Medicine, 164*(20), 2206-16.
34. Camlin, N. J., McLaughlin, E. A., & Holt, J. E. (2014). Through the smoke: Use of in vivo and in vitro cigarette smoking models to elucidate its effect on female fertility. *Toxicology and Applied Pharmacology, 281*(3), 266-75.
35. Pineles, B. L., Park, E., & Samet, J. M. (2014). Systematic review and meta-analysis of miscarriage and maternal exposure to tobacco smoke during pregnancy. *American Journal of Epidemiology, 179*(7), 807-23.
36. Shobeiri, F., & Jenabi, E. (2016). Smoking and placenta previa: A meta-analysis. *The Journal of Maternal-Fetal and Neonatal Medicine, 1*-13.
37. Ju, H., Jones, M., & Mishra, G. D. (2016). Smoking and trajectories of dysmenorrhoea among young Australian women. *Tobacco Control, 25*(2), 195-202.

# References

Chapters 1 – 3

Knowledge Topics 1 – 11

Appendices

38. Zhou, S., Rosenthal, D. G., Sherman, S., & Weitzman, M. (2014). Physical, behavioral, and cognitive effects of prenatal tobacco and postnatal secondhand smoke exposure. *Current Problems in Pediatric and Adolescent Health Care*, 44(8), 219-41.
39. Suzuki, K., Sato, M., Zheng, W., Shinohara, R., Yokomichi, H., & Yamagata, Z. (2014). Effect of maternal smoking cessation before and during early pregnancy on fetal and childhood growth. *Journal of Epidemiology*, 24(1), 60-66.
40. Anblagan, D., Jones, N. W., Costigan, C., Parker, A. J. J., Allcock, K., Aleong, R., et al. (2013). Maternal smoking during pregnancy and fetal organ growth: A magnetic resonance imaging study. *PLoS ONE*, 8(7), e67223.
41. Horn, J., & Hansten, P. (2007). Potential drug interactions in smokers and quitters. *Pharmacy Times*, 32.
42. Winickoff, J. P., Van Cleave, J., & Oreskovic, N. M. (2010). Tobacco smoke exposure and chronic conditions of childhood. *Pediatrics*, 126(1), e251-2.
43. Napierala, M., Mazela, J., Merritt, T., & Florek, E. (2016). Tobacco smoking and breastfeeding: Effect on the lactation process, breast milk composition and infant development. A critical review. *Environmental Research*, 151, 321-38.
44. Task Force on Sudden Infant Death Syndrome. (2016). SIDS and other sleep-related infant deaths: Evidence base for 2016 updated recommendations for a safe infant sleeping environment. *Pediatrics*, e20162940.
45. Martínez-Mesa, J., Menezes, A. M. B., Howe, L. D., Wehrmeister, F. C., Muniz, L. C., Gonzalez-Chica, D. A., ... Barros, F. C. (2014). Lifecourse relationship between maternal smoking during pregnancy, birth weight, contemporaneous anthropometric measurements and bone mass at 18years old. The 1993 Pelotas Birth Cohort. *Early Human Development*, 90(12), 901-06.
46. Selya, A. S., Wakschlag, L. S., Dierker, L. C., Rose, J. S., Hedeker, D., & Mermelstein, R. J. (2013). Exploring alternate processes contributing to the association between maternal smoking and the smoking behavior among young adult offspring. *Nicotine and Tobacco Research*, 15(11), 1873-82.
47. Alberta Perinatal Health Program (APHP). (2014). Maternal smoking, Alberta, by zone of residence, 1999–2014. Alberta Health Services: Unpublished raw data.
48. Lucas, C., & Martin, J. (2013). Smoking and drug interactions. *Australian Prescriber*, 36(3).
49. Training Enhancement in Applied Cessation Counselling and Health. (2004 ) Specialty module on pregnancy. Toronto, ON: Centre for Addiction and Mental Health. <https://www.nicotinedependenceclinic.com/English/teach/Pages/Home.aspx>
50. Frey, K. A., Navarro, S. M., Kotelchuck, M., & Lu, M. C. (2008). The clinical content of preconception care: Preconception care for men. *American Journal of Obstetrics and Gynecology*, 199(6 Suppl 2), S389-95.
51. US Department of Health and Human Services, How tobacco smoke causes disease: what it means to you. Atlanta: US Department of Health and Human Services, Centers for Disease Control and Prevention. National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 2010.
52. Metayer, C. (2014). Parental tobacco smoking and the risk of acute myeloid leukemia in children: The Childhood Leukemia International Consortium (CLIC), presented at the 20th IEA World Congress of Epidemiology, Anchorage, 2014. Anchorage, AK: Author.
53. Northstone, K., Golding, J., Smith, G. D., Miller, L. L., & Pembrey, M. (2014). Prepubertal start of father's smoking and increased body fat in his sons: further characterisation of paternal transgenerational responses. *European Journal of Human Genetics*, 22(12), 1382-6.
54. Tobacco Use and Dependence Guideline Panel. (2008). Treating tobacco use and dependence: 2008 update. Rockville, MD: U.S. Department of Health and Human Services.
55. Canadian Action Network for the Advancement, Dissemination and Adoption of Practice-informed Tobacco Treatment (CAN-ADAPTT). (2011). Canadian smoking cessation guideline specific populations: Pregnant and breastfeeding women. Toronto: Centre for Addiction and Mental Health. <https://www.nicotinedependenceclinic.com/English/CANADAPTT/Guideline/Pregnant%20and%20Breastfeeding%20Women/Home.aspx>
56. Twilley, L., & Wang, F. L. (2007). Predictors of preterm and small-for-gestational-age births in Alberta. Edmonton, AB: Alberta Health and Wellness.



# References

## Chapters 1 – 3 Knowledge Topics 1 – 11 Appendices

57. Health Canada. (2007). Smoking and your body: Health concerns. Ottawa, ON: Author.
58. Health Canada. (2009). The sooner you quit, the better for your baby. Ottawa, ON: Author.
59. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health. (2016). E-cigarette use among youth: A report of the Surgeon General—executive summary. Atlanta, GA: Author.
60. Sharma, R., Biedenharn, K. R., Fedor, J. M., & Agarwal, A. (2013). Lifestyle factors and reproductive health: taking control of your fertility. *Reproductive Biology and Endocrinology*, 11(1), 1.
61. Accordini, S., Calciano, L., Johannessen, A., Simonetto, A., Benediktsdottir, B., Bertelsen, R. J., Svanes, C. (2016). Transgenerational effect of parental and grandparental smoking on asthma risk in offspring. *European Respiratory Journal*, 48(suppl 60), PA4596.
62. Smoking Cessation Leadership Center. (2014, April 23). E-cigarettes: Challenges for clinicians. Webinar.

### Knowledge Topic 2:

1. National Institute on Drug Abuse. (2016). Marijuana. Retrieved from: <https://www.drugabuse.gov/publications/marijuana>.
2. Backes, M., & Weil, A. (2014). Cannabis pharmacy: The practical guide to medical marijuana. New York, NY: Black Dog & Leventhal.
3. ElSohly, M. A., Mehmedic, Z., Foster, S., Gon, C., Chandra, S., & Church, J. C. (2016). Changes in cannabis potency over the last 2 decades (1995–2014): Analysis of current data in the United States. *Biological Psychiatry*, 79(7), 613-9.
4. Meier, E., & Hatsukami, D. K. (2016). A review of the additive health risk of cannabis and tobacco co-use. *Drug and Alcohol Dependence*, 166, 6-12.
5. Morean, M. E., Kong, G., Camenga, D. R., Cavallo, D. A., & Krishnan-Sarin, S. (2015). High school students' use of electronic cigarettes to vaporize cannabis. *Pediatrics*, 136(4), 611-6.
6. Schauer, G. L., Berg, C. J., Kegler, M. C., Donovan, D. M., & Windle, M. (2016). Differences in tobacco product use among past month adult marijuana users and nonusers: Findings from the 2003–2012 National Survey on Drug Use and Health. *Nicotine & Tobacco Research*, 18(3), 281-8.
7. Alberta Health Services. (2013). Cannabis. Retrieved from: <http://insite.albertahealthservices.ca/amh/tms-amh-cannabis.pdf>
8. Borgelt, L. M., Franson, K. L., Nussbaum, A. M., & Wang, G. S. (2013). The pharmacologic and clinical effects of medical cannabis. *Pharmacotherapy*, 33(2), 195-209.
9. Camchong, J., Lim, K. O., & Kumra, S. (2016). Adverse effects of cannabis on adolescent brain development: A longitudinal study. *Cerebral Cortex*, bhw015.
10. Wu, T. C., Tashkin, D. P., Djahed, B., & Rose, J. E. (1988). Pulmonary hazards of smoking marijuana as compared with tobacco. *New England Journal of Medicine*, 318(6), 347-51.
11. Alberta Health Services. (2016). The relationship between cannabis and cancer in men. Edmonton, AB: Provincial Addiction and Mental Health and Alberta Addictions and Mental Health Research Partnership Program.
12. Thomas, G., Kloner, R. A., & Rezkalla, S. (2014). Adverse cardiovascular, cerebrovascular, and peripheral vascular effects of marijuana inhalation: What cardiologists need to know. *The American Journal of Cardiology*, 113(1), 187-190.
13. Biehl, J. R., & Burnham, E. L. (2015). Cannabis smoking in 2015: A concern for lung health? *CHEST Journal*, 148(3), 596-606.
14. Walsh, Z., Gonzales, R., Crosby, K., S Thiessen, M., Carroll, C., & Bonn-Miller, M. O. (2017). Medical cannabis and mental health: A guided systematic review. *Clinical Psychology Review*, 51, 15-29.
15. Van Gastel, W. A., MacCabe, J. H., Schubart, C. D., Van Otterdijk, E., Kahn, R. S., & Boks, M. P. (2014). Cannabis use is a better indicator of poor mental health in women than in men: A cross-sectional study in young adults from the general population. *Community Mental Health Journal*, 50(7), 823-30.

# References

Chapters 1 – 3

Knowledge Topics 1 – 11

Appendices

16. Wendell, A. D. (2013). Overview and epidemiology of substance abuse in pregnancy. *Clinical Obstetrics and Gynecology*, 56(1), 91-6.
17. Volkow, N. D., Compton, W. M., & Wargo, E. M. (2017). The risks of marijuana use during pregnancy. *Journal of the American Medical Association*, 317(2), 129-130.
18. White, A. J., Sandler, D. P., D'Aloisio, A. A., Stanczyk, F., Whitworth, K. W., Baird, D. D., & Nichols, H. B. (2016). Antimüllerian hormone in relation to tobacco and marijuana use and sources of indoor heating/cooking. *Fertility and Sterility*, 106(3), 723-30.
19. Wesselink, A. K., Mahalingaiah, S., Hatch, E. E., Rothman, K. J., Mikkelsen, E. M., & Wise, L. A. (2015). Marijuana use and fecundability in an internet-based prospective cohort study. *Fertility and Sterility*, 104(3, Supp), e236.
20. Du Plessis, S. S., Agarwal, A., & Syriac, A. (2015). Marijuana, phytocannabinoids, the endocannabinoid system, and male fertility. *Journal of Assisted Reproduction and Genetics*, 32(11), 1575-88.
21. Brents, L. K. (2016). Focus: Sex and gender health: Marijuana, the endocannabinoid system and the female reproductive system. *The Yale Journal of Biology and Medicine*, 89(2), 175.
22. Gunn, J. K. L., Rosales, C. B., Center, K. E., Nunez, A., Gibson, S. J., Christ, C., & Ehiri, J. E. (2016). Prenatal exposure to cannabis and maternal and child health outcomes: A systematic review and meta-analysis. *BMJ Open*, 6(4), e009986.
23. Chabarria, K. C., Racusin, D. A., Antony, K. M., Kahr, M., Suter, M. A., Mastrobattista, J. M., & Agaard, K. M. (2016). Marijuana use and its effects in pregnancy. *American Journal of Obstetrics & Gynecology*, 215(4), 506.e1-7.
24. Leemaqz, S. Y., Dekker, G. A., McCowan, L. M., Kenny, L. C., Myers, J. E., Simpson, N. A., ... Roberts, C. T. (2016). Maternal marijuana use has independent effects on risk for spontaneous preterm birth but not other common late pregnancy complications. *Reproductive Toxicology*, 62, 77-86.
25. Hayatbakhsh, M. R., Flenady, V. J., Gibbons, K. S., Kingsbury, A. M., Hurrion, E., Mamun, A. A., & Najman, J. M. (2011). Birth outcomes associated with cannabis use before and during pregnancy. *Pediatric Research*, 71(2), 215-9.
26. Passey, M. E., Sanson-Fisher, R. W., D'Este, C. A., Stirling, J. M. (2014). Tobacco, alcohol and cannabis use during pregnancy: Clustering of risks. *Drug and Alcohol Dependence*, 134, 44-50.
27. English, D. R., Hulse, G. K., Milne, E., Holman, C. D., & Bower, C. I. (1997). Maternal cannabis use and birth weight: A meta-analysis. *Addiction*, 92(11), 1553-60.
36. Westfall, R. E., Janssen, P., Lucas, P. G., & Capler, R. (2009). Survey of medicinal cannabis use among child-bearing women: Patterns of its use in pregnancy and retroactive self-assessment of its efficacy against 'morning sickness.' *Complementary Therapies in Clinical Practice*, 12(1), 27-33.
37. Roberson, E. K., Patrick, W. K., & Hurwitz, E. L. (2014). Marijuana use and maternal experiences of severe nausea during pregnancy in Hawai'i. *Hawai'i Journal of Medicine & Public Health*, 73(9), 283.
28. El Marroun, H., Tiemeier, H., Steegers, E. A., Roos-Hesselink, J. W., Jaddoe, V. W., Hofman, A., ... Huizink, A. C. (2010). A prospective study on intrauterine cannabis exposure and fetal blood flow. *Early Human Development*, 86(4), 231-6.
29. Viteri, O. A., Soto, E. E., Bahado-Singh, R. O., Christensen, C. W., Chauhan, S. P., & Sibai, B. M. (2015). Fetal anomalies and long-term effects associated with substance abuse in pregnancy: A literature review. *American Journal of Perinatology*, 32(5 Supp 11), 405-16.
31. Conner, S. N., Carter, E. B., Tuuli, M. G., Macones, G. A., & Cahill, A. G. (2015). Maternal marijuana use and neonatal morbidity. *American Journal of Obstetrics and Gynecology*, 213(3), 422.e1-4.
32. De Moraes Barros, M. C., Guinsburg, R., De Araujo Peres, C., Mitsuhiro, S., Chalem, E., & Laranjeira, R. R. (2006). Exposure to marijuana during pregnancy alters neurobehavior in the early neonatal period. *Journal of Pediatrics*, 149(6), 781-7.
33. Schempf, A. H., & Strobino, D. M. (2008). Illicit drug use and adverse birth outcomes: Is it drugs or context? *Journal of Urban Health*, 85(6), 858-73.

# References

Chapters 1 – 3

Knowledge Topics 1 – 11

Appendices

30. Goldschmidt, L., Richardson, G. A., Willford, J. A., & Day, N. L. (2008). Prenatal marijuana exposure and intelligence test performance at age 6. *Journal of the American Academy of Child & Adolescent Psychiatry*, 47(3), 254-63.
31. Zammit, S., Thomas, K., Thompson, A., Horwood, J., Menezes, P., Gunnell, D., ... Harrison, G. (2009). Maternal tobacco, cannabis and alcohol use during pregnancy and risk of adolescent psychotic symptoms in offspring. *The British Journal of Psychiatry*, 195(4), 294-300.
32. El Marroun, H., Tiemeier, H., Steegers, E. A., Jaddoe, V. W., Hofman, A., Verhulst, F. C., ... Huizink, A. C. (2009). Intrauterine cannabis exposure affects fetal growth trajectories: The Generation R Study. *Journal of the American Academy of Child & Adolescent Psychiatry*, 48(12), 1173-81.
33. Smith, A. M., Mioduszewski, O., Hatchard, T., Byron-Alhassan, A., Fall, C., & Fried, P. A. (2016). Prenatal marijuana exposure impacts executive functioning into young adulthood: An fMRI study. *Neurotoxicology and Teratology*, 58, 53-9.
34. Warner, T. D., Roussos-Ross, D., & Behnke, M. (2014). It's not your mother's marijuana: Effects on maternal-fetal health and the developing child. *Clinics in Perinatology*, 41(4), 877-94.
35. Williams, J. H., & Ross, L. (2007). Consequences of prenatal toxin exposure for mental health in children and adolescents: A systematic review. *European Child & Adolescent Psychiatry*, 16(4), 243-53.
38. Alharbi, F. F., & El-Guebaly, N. (2014). Exploring the management of cannabis use among women and during pregnancy. *Addictive Disorders & Their Treatment*, 13(2), 93-100.
39. Garry, A., Rigourd, V., Amirouche, A., Fauroux, V., Aubry, S., & Serreau, R. (2009). Cannabis and breastfeeding. *Journal of Toxicology*, 2009.
40. Ordean, A. (2014). Marijuana exposure during lactation: Is it safe? *Pediatrics Research International Journal*, 2014, c1-6.
41. Hill, M., & Reed, K. (2013). Pregnancy, breast-feeding, and marijuana: A review article. *Obstetrical & Gynecological Survey*, 68(10), 710-18.
42. Porath, A. J., & Fried, P. A. (2005). Effects of prenatal cigarette and marijuana exposure on drug use among offspring. *Neurotoxicology and Teratology*, 27(2), 267-77.
43. Sonon, K.E., Richardson, G. A., Cornelius, J. R., Kim, K. H., & Day, N. L. (2015). Prenatal marijuana exposure predicts marijuana use in young adulthood. *Neurotoxicology and Teratology*, 47, 10-15.
44. Volkow, N. D., Baler, R. D., Compton, W. M., & Weiss, S. R. B. (2014). Adverse health effects of marijuana use. *New England Journal of Medicine*, 370(23), 2219-27.
45. Statistics Canada. (2015). Canadian Tobacco, Alcohol and Drugs Survey (CTADS). Ottawa, ON: Statistics Canada. Retrieved from: <https://www.canada.ca/en/health-canada/services/canadian-tobacco-alcohol-drugs-survey/2015-summary.html>
46. Stone, R. (2015). Pregnant women and substance use: Fear, stigma, and barriers to care. *Health & Justice*, 3(1), 2.

## Knowledge Topic 3:

1. Whitehead, T. P., Metayer, C., Park, J.-S., Does, M., Buffler, P. A., & Rappaport, S. M. (2013). Levels of nicotine in dust from homes of smokeless tobacco users. *Nicotine & Tobacco Research*, 15(12), 2045-52.
2. Czogala, J., Goniewicz, M. L., Fidelus, B., Zielinska-Danch, W., Travers, M. J., & Sobczak, A. (2014). Second-hand exposure to vapors from electronic cigarettes. *Nicotine & Tobacco Research*, 16(6), 655-62.
3. Schripp, T., Markewitz, D., Uhde, E., & Salthammer, T. (2013). Does e-cigarette consumption cause passive vaping? *Indoor Air*, 23(1), 25-31.
4. Greaves, L., Poole, N., Okoli, C. T. C., Hemsing, N., Qu, A., Bialystok, L., & O'Leary, R. (2011). Expecting to quit: A best-practices review of smoking cessation interventions for pregnant and postpartum girls and women (2nd ed.). Vancouver, BC: British Columbia Centre of Excellence for Women's Health.

# References

Chapters 1 – 3

Knowledge Topics 1 – 11

Appendices

5. U.S. Department of Health and Human Services. (2014). The health consequences of smoking—50 years of progress: A report of the Surgeon General. Rockville, MD: Author.
6. Coalition Quebécoise Pour le Contrôle du Tabac. (n.d.). Overview of secondhand smoke impacts on health. Montreal, QC: Author.
7. Thomas, J. L., Hecht, S. S., Luo, X., Ming, X., Ahluwalia, J. S., & Carmella, S. G. (2014). Thirdhand tobacco smoke: A tobacco-specific lung carcinogen on surfaces in smokers' homes. *Nicotine & Tobacco Research*, 16(1), 26-32.
8. Martins-Green, M., Adhami, N., Frankos, M., Valdez, M., Goodwin, B., Lyubovitsky, J., . . . Curras-Collazo, M. (2014). Cigarette smoke toxins deposited on surfaces: Implications for human health. *PLoS One*, 9(1), e86391.
9. Ferrante, G., Simoni, M., Cibella, F., Ferrara, F., Liotta, G., Malizia, V., . . . La Grutta, S. (2015). Third-hand smoke exposure and health hazards in children. *Monaldi Archives for Chest Disease*, 79(1), 38-43.
10. U.S. Department of Health and Human Services. (2016). E-cigarette use among youth: A report of the Surgeon General—executive summary. Rockville, MD: Author.

## Knowledge Topic 4:

1. Alberta Perinatal Health Program. (2016). Alberta maternal smoking rates, 2004-2014. Unpublished raw data.
2. Alberta Perinatal Health Program. (2016). Prevalence of smoking among pregnant teens in Alberta. Unpublished raw data.
3. U.S. Department of Health and Human Services. (2014). The health consequences of smoking—50 years of progress: A report of the Surgeon General. Rockville, MD: Author.
4. Allen, A.M., Oncken, C., & Hatsukami, D. (2014). Women and smoking: The effect of gender on the epidemiology, health effects, and cessation of smoking. *Current Addiction Reports*, 1(1), 53-60.
5. Pomerleau, C. S., Zucker, A. N., & Stewart, A. J. (2001). Characterizing concerns about post-cessation weight gain: results from a national survey of women smokers. *Nicotine & Tobacco Research*, 3(1), 51-60.
6. Nakajima, M., & al'Absi, M. (2012). Predictors of risk for smoking relapse in men and women: a prospective examination. *Psychology of Addictive Behaviors*, 26(3), 633.
7. Westmaas, J. L., Wild, T. C., & Ferrence, R. (2002). Effects of gender in social control of smoking cessation. *Health Psychology*, 21(4), 368.
8. Perkins, K. A., Giedgowd, G. E., Karelitz, J. L., Conklin, C. A., & Lerman, C. (2012). Smoking in response to negative mood in men versus women as a function of distress tolerance. *Nicotine & Tobacco Research*, 14(12), 1418-25.
9. Greaves, L. (2015). The meanings of smoking to women and their implications for cessation. *International Journal of Environmental Research and Public Health*, 12(2), 1449-65.
10. Graham, H. (1993). *When life's a drag: Women, smoking and disadvantage*. London, UK: University of Warwick and Department of Health.
11. Dennis, S. (2016). *Smokefree: A social, moral and political atmosphere*. Sydney, AUS: Bloomsbury.
12. Cepeda-Benito, A., Reynoso, Erath, S. (2004). Meta-analysis of the efficacy of nicotine replacement therapy for smoking cessation: Differences between men and women. *Journal of Consulting and Clinical Psychology*, 72(4), 712-22.
13. Weinberger, A. H., Smith, P. H., Allen, S. S., Cosgrove, K. P., Saladin, M. E., Gray, K. M., . . . McKee, S. A. (2015). Systematic and meta-analytic review of research examining the impact of menstrual cycle phase and ovarian hormones on smoking and cessation. *Nicotine & Tobacco Research*, 17(4), 407-21.
14. Solomon, L. J., & Quinn, V. P. (2004). Spontaneous quitting: self-initiated smoking cessation in early pregnancy. *Nicotine & Tobacco Research*, 6(Suppl 2), S203-16.
15. Ockene, J., Ma, Y., Zapka, J., Pbert, L., Valentine Goins, K., & Stoddard, A. (2002). Spontaneous cessation of smoking and alcohol use among low-income pregnant women. *American Journal of Preventive Medicine*, 23(3), 150-59.

# References

Chapters 1 – 3  
Knowledge Topics 1 – 11  
Appendices

16. Chamberlain, C., O'Mara-Eves, A., Porter, J., Coleman, T., Perlen, S. M., Thomas, J., & McKenzie, J. E. (2017). Psychosocial interventions for supporting women to stop smoking in pregnancy. *Cochrane Database of Systematic Reviews*, 2, No.: CD001055.
17. Ma, Y., Goins, K. V., Pbert, L., & Ockene, J. K. (2005). Predictors of smoking cessation in pregnancy and maintenance postpartum in low-income women. *Maternal and Child Health Journal*, 9(4): p. 393-402.
18. Amos, A., & Haglund, M. (2000). From social taboo to "torch of freedom": The marketing of cigarettes to women. *Tobacco Control*, 9(1), 3-8.
19. Amos, A., Greaves, L., Nichter, M., & Bloch, M. (2012). Women and tobacco: A call for including gender in tobacco control research, policy and practice. *Tobacco Control*, 21, 236-43.
20. Centers for Disease Control and Prevention. (2016). Smoking and tobacco use. Health effects of cigarette smoking. Atlanta, Georgia: Author
21. Health Canada. (2005). Benefits of quitting smoking. Ottawa, ON: Author

## Knowledge Topic 5:

None

## Knowledge Topic 6:

1. Prochaska, J.O., DiClemente, C.C., & Norcross, J.C. (1992). In search of how people change: Applications to the addictive behaviors. *American Psychologist*, 47, 1102-1114. PMID: 1329589

## Knowledge Topic 7:

1. Institute of Medicine. (1999). Marijuana and medicine: Assessing the science base. Washington, D.C National Academy of Sciences, Institute of Medicine.
2. Berlin, I., Grange, G., Jacob, N., & Tanguy, M.-L. (2014). Nicotine patches in pregnant smokers: Randomised, placebo controlled, multicentre trial of efficacy. *British Medical Journal*, 348, g1622.
3. Ebert, L., van der Riet, P., & Fahy, K. (2009). What do midwives need to understand/know about smoking in pregnancy? *Women and Birth*, 22(1), 35-40.
4. Ussher, M. H., Taylor, A. H., & Faulkner, G. E. (2014). Exercise interventions for smoking cessation. *Cochrane Database of Systematic Reviews*, 2014 Aug 29(8), CD002295.
5. Lucas, C., & Martin, J. (2013). Smoking and drug interactions. *Australian Prescriber*, 36(3).
6. NSW Government Health. (n.d.). Medication interactions with smoking and smoking cessation. New South Wales, Australia: Author.
7. Kroon, L. A. (2007). Drug interactions with smoking. *American Journal of Health-System Pharmacy*, 64(18), 1917-21.
8. Perkins, K. A., & Scott, J. (2008). Sex differences in long-term smoking cessation rates due to nicotine patch. *Nicotine and Tobacco Research*, 10(7), 1245-50.
9. Tobacco Use and Dependence Guideline Panel. (2008). Treating tobacco use and dependence: 2008 update. Rockville, MD: U.S. Department of Health and Human Services.
10. Chamberlain, C., O'Mara-Eves, A., Porter, J., Coleman, T., Perlen, S. M., Thomas, J., & McKenzie, J. E. (2017). Psychosocial interventions for supporting women to stop smoking in pregnancy. *Cochrane Database of Systematic Reviews*, 2017 Feb 14(2), CD001055.
11. Brose, L. S., McEwen, A., & West, R. (2013). Association between nicotine replacement therapy use in pregnancy and smoking cessation. *Drug and Alcohol Dependence*, 132(3), 660-64.



# References

Chapters 1 – 3  
Knowledge Topics 1 – 11  
Appendices

12. Coleman, T., Chamberlain, C., Davey, M. A., Cooper, S. E., & Leonardi-Bee, J. (2012). Pharmacological interventions for promoting smoking cessation during pregnancy. *Cochrane Database of Systematic Reviews*, 2012 Sept 12(9), CD010078.
13. Canadian Action Network for the Advancement, Dissemination and Adoption of Practice-informed Tobacco (CAN-ADAPTT). (2011). Practice-informed and evidence-based smoking cessation guideline. Toronto, ON: Author.
14. Stead, L. F., Perera, R., Bullen, C., Mant, D., Hartmann-Boyce, J., Cahill, K., & Lancaster, T. (2012). Nicotine replacement therapy for smoking cessation. *Cochrane Database of Systematic Reviews*, 2012 Nov 14(11), CD000146.
15. Centre for Addiction and Mental Health. (2013). Nicotine dependence service: Tobacco dependence treatment frequently asked questions. Toronto, ON: Author.
16. Royal Australian College of General Practitioners. (2011). Supporting smoking cessation: A guide for health professionals. Melbourne, Australia: Author.
17. Daughton, D. M., Heatley, S. A., Prendergrast, J. J., Causey, D., Knowles, M., Rolf, C. N., . . . & Rennard, S. I. (1991). Effect of transdermal nicotine delivery as an adjunct to low-intervention smoking cessation therapy: A randomized, placebo-controlled, double-blind study. *Archives of Internal Medicine*, 151(4), 749-52.
18. Wong, S., Ordean, A., & Kahan, M. (2011). SOGC clinical practice guidelines: Substance use in pregnancy. *International Journal of Gynaecology and Obstetrics*, 114(2), 190-202.
19. Greaves, L., Poole, N., Okoli, C. T. C., Hemsing, N., Qu, A., Bialystok, L., & O'Leary, R. (2011). Expecting to quit: A best-practices review of smoking cessation interventions for pregnant and post-partum women (2nd ed.). Vancouver, BC: British Columbia Centre of Excellence for Women's Health.
20. Napierala, M., Mazela, J., Merritt, T., & Florek, E. (2016). Tobacco smoking and breastfeeding: Effect on the lactation process, breast milk composition and infant development. A critical review. *Environmental Research*, 151, 321-38.
21. Canadian Action Network for the Advancement, Dissemination and Adoption of Practice-informed Tobacco (CAN-ADAPTT). (2011). CAN-ADAPTT Canadian Smoking Cessation Guideline Version 2. Toronto, ON: Author.

## Knowledge Topic 8:

1. Leventhal, A. M., Ameringer, K. J., Osborn, E., Zvolensky, M. J., & Langdon, K. J. (2013). Anxiety and depressive symptoms and affective patterns of tobacco withdrawal. *Drug and Alcohol Dependence*, 133(2), 324-9.
2. US Department of Health and Human Services. (2014). The health consequences of smoking—50 years of progress: A report of the Surgeon General. Atlanta, GA: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health.
3. Zvolensky, M. J., Baker, K. M., Leen-Feldner, E., Bonn-Miller, M. O., Feldner, M. T., & Brown, R. A. (2004). Anxiety sensitivity: Association with intensity of retrospectively-rated smoking-related withdrawal symptoms and motivation to quit. *Cognitive Behaviour Therapy*, 33(3), 114-25.
4. Taylor, G., McNeill, A., Girling, A., Farley, A., Lindson-Hawley, N., & Aveyard, P. (2014). Change in mental health after smoking cessation: systematic review and meta-analysis. *BMJ*, 348, g1151.
5. Dawkins, L., Powell, J. H., Pickering, A., Powell, J., & West, R. (2009). Patterns of change in withdrawal symptoms, desire to smoke, reward motivation and response inhibition across 3 months of smoking abstinence. *Addiction*, 104(5), 850-858.

## Knowledge Topic 9:

None

# References

Chapters 1 – 3  
Knowledge Topics 1 – 11  
Appendices

## Knowledge Topic 10:

None

## Knowledge Topic 11:

1. Harris, K. K., Zopey, M., & Friedman, T. C. (2016). Metabolic effects of smoking cessation. *Nature Reviews Endocrinology*, 12(5), 299-308.
2. Balcetis, E., Cole, S., Chelberg, M. B., & Alicke, M. (2013). Searching out the ideal: Awareness of ideal body standards predicts lower global self-esteem in women. *Self and Identity*, 12(1), 99-113.
3. Nichter, M., Nichter, M., Vuckovic, N., Tesler, L., Adrian, S., & Ritenbaugh, C. (2004). Smoking as a weight-control strategy among adolescent girls and young women: A reconsideration. *Medical Anthropology Quarterly*, 18(3), 305-24.
4. Copeland, A. L., Spears, C. A., Baillie, L. E., & McVay, M. A. (2016). Fear of fatness and drive for thinness in predicting smoking status in college women. *Addictive Behaviors*, 54, 1-6.
5. Tobacco Use and Dependence Guideline Panel. (2008). *Treating tobacco use and dependence: 2008 update*. Rockville, MD: U.S. Department of Health and Human Services.
6. Dare, S., Mackay, D. F., & Pell, J. P. (2015). Relationship between smoking and obesity: A cross-sectional study of 499,504 middle-aged adults in the UK general population. *PloS One*, 10(4), e0123579.
7. Pistelli, F., Aquilini, F., & Carrozzi, L. (2016). Weight gain after smoking cessation. *Monaldi Archives for Chest Disease*, 71(2), 81-7.
8. Mental Health Addiction Services Public Health Program. (2013). *Program manual*. Toronto, ON: Centre for Addiction and Mental Health.
9. Smokefree Women. (n.d.). 9 myths about smoking and pregnancy. Retrieved from <http://women.smokefree.gov/9-myths-about-smoking-pregnancy.aspx>.
10. Statistics Canada. (2007). *Canadian Tobacco Use Monitoring Survey (CTUMS), February–December 2006*. Ottawa, ON: Author.
11. Tobacco Control Research Branch, National Cancer Institute. (2016). *Conquer stress*. Retrieved from: <https://smokefree.gov/stress-and-smoking>.

## Appendix: Girls, Women, Health and Tobacco Use

1. Park, S.-J., Yi, B., Lee, H.-S., Oh, W.-Y., Na, H.-K., Lee, M., Yang, M. (2016). To quit or not: Vulnerability of women to smoking tobacco. *Journal of Environmental Science and Health, Part C*, 34(1), 33-56.
2. Ben-Zaken Cohen, S., Pare, P. D., Paul Man, S. F., & Sin, D. D. (2007). The growing burden of chronic obstructive pulmonary disease and lung cancer in women. *American Journal of Respiratory and Critical Care Medicine*, 176(2), 113-20.
3. Sørheim, I.-C., Johannessen, A., Gulsvik, A., Bakke, P. S., Silverman, E. K., & DeMeo, D. L. (2010). Gender differences in COPD: Are women more susceptible to smoking effects than men? *Thorax*, 65(6), 480-85.
4. Pinkerton, K. E., Harbaugh, M., Han, M. K., Jourdan Le Saux, C., Van Winkle, L. S., Martin, W. J., . . . George, M. (2015). Women and lung disease. Sex differences and global health disparities. *American Journal of Respiratory and Critical Care Medicine*, 192(1), 11-6.
5. Foreman, M. G., Zhang, L., Murphy, J., Hansel, N. N., Make, B., Hokanson, J. E., . . . DeMeo, D. L. (2011). Early-onset chronic obstructive pulmonary disease is associated with female sex, maternal factors, and African American race in the COPD Gene Study. *American Journal of Respiratory and Critical Care Medicine*, 184(4), 414-20.

# References

Chapters 1 – 3

Knowledge Topics 1 – 11

Appendices

6. De Matteis, S., Consonni, D., Pesatori, A. C., Bergen, A. W., Bertazzi, P. A., Caporaso, N. E., ... Landi, M. T. (2013). Are women who smoke at higher risk for lung cancer than men who smoke? *American Journal of Epidemiology*, 177(7), 601-12.
7. Park, S. K., Cho, L. Y., Yang, J. J., Park, B., Chang, S. H., Lee, K. S., ... Lee, C. T. (2010). Lung cancer risk and cigarette smoking, lung tuberculosis according to histologic type and gender in a population based case-control study. *Lung Cancer*, 68(1), 20-26.
8. Health Canada. (2013). *Canadian tobacco, alcohol and drugs survey (CTADS)*. Ottawa, ON: Author.
9. Huxley, R. R., & Woodward, M. (2011). Cigarette smoking as a risk factor for coronary heart disease in women compared with men: A systematic review and meta-analysis of prospective cohort studies. *Lancet*, 378(9799), 1297-305.
10. Lee, M. H., Ahn, S. V., Hur, N. W., Choi, D. P., Kim, H. C., & Suh, I. (2011). Gender differences in the association between smoking and dyslipidemia: 2005 Korean National Health and Nutrition Examination Survey. *Clinica Chimica Acta*, 412(17/18), 1600-05.
11. Grundtvig, M., Hagen, T. P., Amrud, E. S., & Reikvam, A. (2013). Reduced life expectancy after an incident hospital diagnosis of acute myocardial infarction—effects of smoking in women and men. *International Journal of Cardiology*, 167(6), 2792-7.
12. Johnson, K. C., Miller, A. B., Collishaw, N. E., Palmer, J. R., Hammond, S. K., Salmon, A. G., ... Turcotte, F. (2010). Active smoking and secondhand smoke increase breast cancer risk: the report of the Canadian Expert Panel on Tobacco Smoke and Breast Cancer Risk (2009). *Tobacco Control*, 20(1), e2.
13. Chen, C., Huang, Y.-B., Liu, X.-O., Gao, Y., Dai, H.-J., Song, F.-J., ... Chen, K.-X. (2014). Active and passive smoking with breast cancer risk for Chinese females: A systematic review and meta-analysis. *Chinese Journal Of Cancer*, 33(6), 306-16.
14. Catsburg, C., Kirsh, V. A., Soskolne, C. L., Kreiger, N., & Rohan, T. E. (2014). Active cigarette smoking and the risk of breast cancer: A cohort study. *Cancer Epidemiology*, 38(4), 376-81.
15. Ontario Program Training and Consultation Centre. (2010). *Women and tobacco info pack*. Toronto, ON: Author.
16. Centre for Addiction and Mental Health. (2009). *Women and smoking cessation*. Toronto, ON: Author.
17. Dechanet, C., Anahory, T., Mathieu Daude, J. C., Quantin, X., Reyftmann, L., Hamamah, S., ... Dechaud, H. (2011). Effects of cigarette smoking on reproduction. *Human Reproduction Update*, 17(1), 76-95.
18. Cepeda-Benito, A., Reynoso, J. T., & Erath, S. (2004). Meta-analysis of the efficacy of nicotine replacement therapy for smoking cessation: Differences between men and women. *Journal of Consulting and Clinical Psychology*, 72(4), 712-22.
19. Weinberger, A. H., Smith, P. H., Allen, S. S., Cosgrove, K. P., Saladin, M. E., Gray, K. M., ... McKee, S. A. (2015). Systematic and meta-analytic review of research examining the impact of menstrual cycle phase and ovarian hormones on smoking and cessation. *Nicotine & Tobacco Research*, 17(4), 407-21.
20. Zhou, S., Rosenthal, D. G., Sherman, S., Zelikoff, J., Gordon, T., & Weitzman, M. (2014). Physical, behavioral, and cognitive effects of prenatal tobacco and postnatal secondhand smoke exposure. *Current Problems in Pediatric and Adolescent Health Care*, 44(8), 219-41.
21. Beal, S. J., Negri, S., Dorn, L. D., Pabst, S., & Schulenberg, J. (2014). Longitudinal associations between smoking and depressive symptoms among adolescent girls. *Prevention Science*, 15(4), 506-15.
22. Dorn, L. D., Negri, S., Huang, B., Pabst, S., Hillman, J., Braverman, P., & Susman, E. J. (2009). Menstrual symptoms in adolescent girls: Association with smoking, depressive symptoms, and anxiety. *Journal of Adolescent Health*, 44(3), 237-43.
23. Allen, A. M., Oncken, C., & Hatsukami, D. (2014). Women and smoking: The effect of gender on the epidemiology, health effects, and cessation of smoking. *Current Addiction Reports*, 1(1), 53-60.
24. Dorn, L. D., Beal, S. J., Kalkwarf, H. J., Pabst, S., Noll, J. G., & Susman, E. J. (2013). Longitudinal impact of substance use and depressive symptoms on bone accrual among girls aged 11–19 years. *Journal of Adolescent Health*, 52(4), 393-99.

# References

Chapters 1 – 3  
Knowledge Topics 1 – 11  
Appendices

25. File, S. E., Fluck, E., & Leahy, A. (2001). Nicotine has calming effects on stress-induced mood changes in females, but enhances aggressive mood in males. *The International Journal of Neuropsychopharmacology*, 4(04), 371-6.
26. Perkins, K. A., Giedgowd, G. E., Karelitz, J. L., Conklin, C. A., & Lerman, C. (2012). Smoking in response to negative mood in men versus women as a function of distress tolerance. *Nicotine & Tobacco Research*, 14(12), 1418-25.
27. Amos, A., Greaves, L., Nichter, M., & Bloch, M. (2011). Women and tobacco: A call for including gender in tobacco control research, policy and practice. *Tobacco Control*, 21(2), 236-43.
28. Tobacco Use and Dependence Guideline Panel. (2008). Treating tobacco use and dependence: 2008 update. Rockville, MD: U.S. Department of Health and Human Services.
29. O'Dell, L. E., & Torres, O. V. (2014). A mechanistic hypothesis of the factors that enhance vulnerability to nicotine use in females. *Neuropharmacology*, 76, 566-80.
30. Pomerleau, C. S., Zucker, A. N., & Stewart, A. J. (2001). Characterizing concerns about post-cessation weight gain: Results from a national survey of women smokers. *Nicotine & Tobacco Research*, 3(1), 51-60.
31. Nakajima, M., & al'Absi, M. (2012). Predictors of risk for smoking relapse in men and women: a prospective examination. *Psychology of Addictive Behaviors*, 26(3), 633.
32. Westmaas, J. L., Wild, T. C., & Ferrence, R. (2002). Effects of gender in social control of smoking cessation. *Health Psychology*, 21(4), 368.
33. Greaves, L. (2015). The meanings of smoking to women and their implications for cessation. *International Journal of Environmental Research and Public Health*, 12(2), 1449-65.
34. Graham, H. (1993). *When life's a drag: Women, smoking and disadvantage*. London, UK: University of Warwick and Department of Health.
35. Greaves, L. (1996). *Smoke screen: Women's smoking and social control*. Halifax, NS: Fernwood.
36. Greaves, L., Pederson, A., & Poole, N. (Eds.). (2014). *Making it better: Gender-transformative health promotion*. Toronto, ON: Canadian Scholars Press

## Appendix: Girls, Women and Tobacco Using a Principle-Based Approach

1. Greaves, L., Poole, N., Okoli, T. C., Hemsing, N., Qu, A., Bialystok, L., & O'Leary, R. (2011). *Expecting to Quit: A best-practices review of smoking cessation interventions for pregnant and post-partum women* (2nd ed.). Vancouver, BC: British Columbia Centre of Excellence for Women's Health.
2. Greaves, L., Hemsing, N., Poole, N., Bialystok, L., & O'Leary, R. (2016). From fetal health to women's health: Expanding the gaze on intervening on smoking during pregnancy. *Critical Public Health*, 26(2), 230-38.
3. Wigginton, B., & Lee, C. (2012). A story of stigma: Australian women's accounts of smoking during pregnancy. *Critical Public Health*, 23(4), 466-81.
4. American College of Obstetricians and Gynecologists. (2011). *Smoking cessation during pregnancy: A clinician's guide to helping pregnant women quit smoking*. Washington, DC: Author.
5. Poole, N., et al. (2013). *Trauma-informed practice guide*. Victoria, BC: Centre of Excellence for Women's Health and Ministry of Health, Province of British Columbia. Retrieved from: [www.bccewh.bc.ca/publications-resources/documents/TIP-Guide-May2013](http://www.bccewh.bc.ca/publications-resources/documents/TIP-Guide-May2013).
6. Jean Tweed Centre. (2013). *Trauma matters: Guidelines for trauma-informed services in women's substance use services*. Toronto, ON: Author.
7. Fu, S. S., McFall, M., Saxon, A. J., Beckham, J. C., Carmody, T. P., Baker, D. G., & Joseph, A. M. (2007). Post-traumatic stress disorder and smoking: A systematic review. *Nicotine and Tobacco Research*, 9(11), 1071-84.
8. Amstadter, A. B., Resnick, H. S., Nugent, N. R., Acierno, R., Rheingold, A. A., Minhinnett, R., & Kilpatrick, D. G. (2009). Longitudinal trajectories of cigarette smoking following rape. *Journal of Traumatic Stress*, 22(2) 113-21.

# References

Chapters 1 – 3  
Knowledge Topics 1 – 11  
Appendices

9. Weaver, T. L., & Etzel, J. C. (2003). Smoking patterns, symptoms of PTSD and depression: Preliminary findings from a sample of severely battered women. *Addictive Behaviors*, 28(9), 1665.
10. Nicholson, P. (2012). *Healthcare following psychological trauma: A new perspective on medical care*. Toronto, ON: Women's College Hospital.
11. Poole, N., et al. (2013). *Trauma-informed practice guide*. Victoria, BC: Centre of Excellence for Women's Health and Ministry of Health, Province of British Columbia. Retrieved from: [www.bccewh.bc.ca/publications-resources/documents/TIP-Guide-May2013](http://www.bccewh.bc.ca/publications-resources/documents/TIP-Guide-May2013).
12. Aguiar, W., & Halseth, R. (2015). *Aboriginal peoples and historic trauma: The processes of intergenerational transmission*. Prince George, BC: National Collaborating Centre for Aboriginal Health.
13. Browne, A. J., Varcoe, C. M., Wong, S. T., Smyte, V. L., Lavoie, J., Littlejohn, D., . . . Lennox, S. (2012). Closing the health equity gap: Evidence-based strategies for primary health care organizations. *International Journal for Equity in Health*, 11(1), 1.
14. Bottorff, J. L., Carey, J., Poole, N., Greaves, L., & Urquhart, C. (2008). *Couples and smoking: What you need to know when you are pregnant*. Vancouver, BC: The British Columbia Centre of Excellence for Women's Health, the Institute for Health Living and Chronic Disease Prevention, University of British Columbia Okanagan, and NEXUS, University of British Columbia Vancouver.
15. Greaves, L., Kalaw, C., & Bottorff, J. L. (2007). Case studies of power and control related to tobacco use during pregnancy. *Women's Health Issues*, 17(5), 325-32.
16. Bottorff, J. L., Kalaw, C., Johnson, J. L., Stewart, M., Greaves, L., & Carey, J. (2006). Couple dynamics during women's tobacco reduction in pregnancy and postpartum. *Nicotine and Tobacco Research*, 8(4), 499-509.
17. Tobacco Use and Dependence Guideline Panel. (2008). *Treating tobacco use and dependence: 2008 update*. Rockville, MD: U.S. Department of Health and Human Services.
18. Baggett, T. (2016). Smoking's grip adds to misery of the homeless. *New England Journal of Medicine*. Nashville, TN: National Health Care for the Homeless Council.
19. Hemsing, N., Greaves, L., & Poole, N. (2015). Tobacco cessation interventions for underserved women. *Journal of Social Work Practice in the Addictions*, 15(3), 267-87.