

## **ORDER OF AN EXECUTIVE OFFICER NOTICE OF CLOSURE**

**To:** Pig & Duke Neighbourhood Pub & Eatery Corp.  
“the Owner”

Jason Chilibeck  
“the Owner”

Kyle Gordon  
“the Owner”

Linda Melis  
“the Owner”

**RE:** The food establishment located in Calgary, Alberta and municipally described as:  
Pig & Duke Neighborhood Pub & Eatery, 1312 12 Avenue SW

**WHEREAS** I, an **Executive Officer of Alberta Health Services**, have inspected the above noted premises pursuant to the provisions of the Public Health Act, RSA 2000, c. P-37, as amended;

**AND WHEREAS** such inspection disclosed that the following conditions exist in and about the above noted premises which are or may become injurious or dangerous to the public health or which might hinder in any manner the prevention or suppression of disease, namely:

- a. Live and dead cockroaches of varying life stages were found throughout the kitchen and bar area.
- b. Pest control records were not available onsite for the month of December 2025 and January 2026.
- c. There was a hole in the wall underneath the ice well in the bar area.
- d. There was a hole in the wall above the hand sink located by the entrance to the kitchen.
- e. Equipment throughout the facility was covered in food debris, grime, dust and/or cockroach frass which included the following: the fryers (inside and out), underneath the tabletop grill, along the rubber gasket of the cooler drawers underneath the grill and food storage shelves
- f. There were cracked grey bus bins on the equipment storage shelf.
- g. A written sanitation schedule was not followed nor implemented.
- h. There was a significant accumulation of grease, grime, and food debris along the baseboards, underneath and behind the grill.
- i. There was dust accumulation on the ceiling above the grill line and on the wall near the ice machine.
- j. There was dry spillage on the floors of the bar area.

**AND WHEREAS** such inspection disclosed that the following breaches of the Public Health Act and the Food Regulation, Alberta Regulation 31/2006 and the Food Retail and Foodservices Code exist in and about the above noted premises, namely:

- a. Live and dead cockroaches of varying life stages were found throughout the kitchen and bar area. This contravenes section 21(1) of the Food Regulation, AR 31/2006 which states that: Subject to subsection (1.1), a commercial food establishment must be kept free of pests and of conditions that lead to the harbouring or breeding of pests.
- b. Pest control records were not maintained onsite for the months of December 2025 and January 2026. This contravenes section 21(2) of the Food Regulation, AR 31/2006 which states that: A written record of all pest control measures used in the commercial food establishment and surrounding area, premises and facilities referred to in subsections (1) and (1.1) must be maintained.
- c. There was a hole in the wall underneath the ice well in the bar area. This contravenes section 17(1)(a) of the Food Regulation, AR 31/2006 which states that: An operator must ensure that, before operation of the commercial food establishment commences, the commercial food establishment is of sound construction and in a good state of repair.
- d. There was a hole in the wall above the hand sink located by the entrance to the kitchen. This contravenes section 17(1)(a) of the Food Regulation, AR 31/2006 which states that: An operator must ensure that, before operation of the commercial food establishment commences, the commercial food establishment is of sound construction and in a good state of repair.
- e. Equipment throughout the facility was covered in food debris, grime, dust and/or cockroach frass which included the following: the fryers (inside and out), underneath the tabletop grill, along the rubber gasket of the cooler drawers underneath the grill and food storage shelves. This contravenes section 28(2) of the Food Regulation, AR 31/2006 which states that: A commercial food establishment, all equipment and utensils in it and all surfaces in it with which food comes into contact must be maintained in a sanitary condition and, without limiting the foregoing, must be washed and sanitized in a manner that removes contamination.
- f. There were cracked grey bus bins on the equipment storage shelf. This contravenes section 28(3)(a)(b) of the Food Regulation, AR 31/2006 which states that: All equipment and utensils in a commercial food establishment must be kept in good working order and condition, and maintained in a manner that ensures the safe and sanitary handling of food.
- g. A written sanitation schedule was not followed nor implemented. This contravenes section 29(1)(2)(a)(b) of the Food Regulation, AR 31/2006 which states that: A commercial food establishment must have written procedures designed to ensure its safe and sanitary operation and maintenance. The procedures must include the cleaning and sanitizing requirements for the commercial food establishment and for all equipment and utensils in it, if any, that are not normally washed in a dishwasher, and a list of all cleaning and sanitizing agents used in the commercial food establishment, including their concentrations and uses.
- h. There was a significant accumulation of grease, grime, and food debris along the baseboards, underneath and behind the grill. This contravenes section 28(2) of the Food Regulation, AR 31/2006 which states that: A commercial food establishment, all equipment and utensils in it and all surfaces in it with which food comes into contact must be maintained in a sanitary condition and, without limiting the foregoing, must be washed and sanitized in a manner that removes contamination.
- i. There was dust accumulation on the ceiling above the grill line and on the wall near the ice machine. This contravenes section 28(2) of the Food Regulation, AR 31/2006 which states that: A commercial food establishment, all equipment and utensils in it and all surfaces in it with which food comes into contact must be maintained in a sanitary condition and, without

limiting the foregoing, must be washed and sanitized in a manner that removes contamination.

- j. There was dry spillage on the floors of the bar area. This contravenes section 28(2) of the Food Regulation, AR 31/2006 which states that: A commercial food establishment, all equipment and utensils in it and all surfaces in it with which food comes into contact must be maintained in a sanitary condition and, without limiting the foregoing, must be washed and sanitized in a manner that removes contamination.

**AND WHEREAS**, by virtue of the foregoing, the above noted premises are hereby declared to be **Closed**.

NOW THEREFORE, I hereby **ORDER** and **DIRECT**:

1. That the Owner immediately close the above noted premises.
2. That the Owner immediately undertake and diligently pursue the completion of the following work in and about the above noted premises, namely:
  - a. Consult with a professional pest operator to abate the cockroach infestation and provide copies of all pest control records to a Public Health Inspector with Alberta Health Services until further notice.
  - b. Ensure that pest control records are retained onsite for review by a Public Health Inspector with Alberta Health Services.
  - c. Repair the hole in the wall underneath the ice well in the bar area and ensure the surface is smooth, durable and easy to clean.
  - d. Repair the hole in the wall above the hand sink near the entrance to the kitchen and ensure the surface is smooth, durable and easy to clean.
  - e. Clean and sanitize all equipment in the facility.
  - f. Replace the damaged grey bus bins and ensure food equipment are assessed for good repair and cleanliness prior to use.
  - g. Develop and implement a sanitation program for the entire food establishment, focusing on the kitchen and bar area.
  - h. Thoroughly clean the baseboards, underneath and behind the grill, the ceiling above the grill line, the wall near the ice machine, and the floors of the bar area and incorporate hard-to-reach areas on the sanitation schedule.
3. That until such time as the work referred to above is completed to the satisfaction of an Executive Officer of Alberta Health Services; the above noted premises shall remain closed.

The above conditions were noted at the time of inspection and may not necessarily reflect all deficiencies. You are advised that further work may be required to ensure full compliance with the Public Health Act and regulations, or to prevent a public health nuisance.

DATED at Calgary, Alberta, January 16, 2026

Confirmation of a verbal order issued to Kyle Gordon on January 15, 2026.

## Executive Officer Alberta Health Services

You have the right to appeal

A person who **a) is directly affected by a decision of a Regional Health Authority, and  
b) feels himself aggrieved by the decision**

may appeal the decision by submitting a Notice of Appeal form within ten (10) days after receiving the order to:

Public Health Appeal Board  
c/o Central Reception  
Main Floor, ATB Place North Tower  
10025 Jasper Avenue NW  
Edmonton, Alberta, T5J 1S6  
Phone: 780-222-5186  
Fax: 780-422-0914  
Email: [HealthAppealBoard@gov.ab.ca](mailto:HealthAppealBoard@gov.ab.ca)  
Website: <https://www.alberta.ca/public-health-appeal-board.aspx>

A Notice of Appeal form may be obtained by contacting the Public Health Appeal Board or visiting their website.

## Health Legislation, Regulations and Standards

Electronic versions of the Public Health Act and Regulations are available at the Alberta King's Printer Bookstore 10611 - 98 Avenue, Main Floor, Park Plaza, Edmonton, Alberta, T5K 2P7 or <https://www.alberta.ca/alberta-kings-printer.aspx>.

Health Legislation and regulations are available for purchase. Please contact Alberta King's Printer Bookstore 10611 - 98 Avenue, Main Floor, Park Plaza, Edmonton, Alberta, T5K 2P7 or <https://www.alberta.ca/alberta-kings-printer.aspx>.

**Copies of standards are available by visiting: <https://www.alberta.ca/health-standards-and-guidelines.aspx>**

Calgary • Southport • Environmental Public Health

10101 Southport Road SW, Calgary, Alberta, Canada T2W 3N2

[www.ahs.ca/eph](http://www.ahs.ca/eph)