

ORDER OF AN EXECUTIVE OFFICER

To: Coreen Stuart
Harold Stuart
“the Owners”

RE: Those housing premises located in Red Deer, Alberta and municipally described as:
3737D 50 Street

WHEREAS I, an **Executive Officer of Alberta Health Services**, have inspected the above noted premises pursuant to the provisions of the Public Health Act, RSA 2000, c. P-37, as amended;

AND WHEREAS such inspection disclosed that the following conditions exist in and about the above noted premises which are or may become injurious or dangerous to the public health or which might hinder in any manner the prevention or suppression of disease, namely:

- a. The unit's heating system was not functioning properly, and the average ambient temperature was 14°C to 16°C.

AND WHEREAS such inspection disclosed that the following breaches of the Public Health Act and the Housing Regulation, Alberta Regulation 173/99, and the Minimum Housing and Health Standards exist in and about the above noted premises, namely:

- a. The unit's heating system was not functioning properly, and the average ambient temperature was 14°C to 16°C. This is in contravention of Section 8(a)(i) of the Minimum Housing and Health Standards which states that “All heating facilities within a housing premises are to be properly installed and maintained in good working condition and be capable of safely and adequately heating all habitable rooms, bathrooms, and toilet rooms within the building to a temperature of at least 22°C (71°F).”

NOW THEREFORE, I hereby **ORDER** and **DIRECT**:

1. That the Owner immediately undertake and diligently pursue the completion of the following work in and about the above noted premises, namely:
 - a. Repair the heating system within the unit so that it can maintain all habitable rooms at a minimum of 22°C.
2. The work referred to in paragraph 1 shall be completed by January 30, 2026.

The above conditions were noted at the time of inspection and may not necessarily reflect all deficiencies. You are advised that further work may be required to ensure full compliance with the Public Health Act and regulations, or to prevent a public health nuisance.

DATED at Red Deer, Alberta, January 22, 2026

Confirmation of a verbal order issued to Coreen Stuart on January 21, 2026.

Executive Officer Alberta Health Services

You have the right to appeal

A person who **a**) is directly affected by a decision of a Regional Health Authority, and **b**) feels himself aggrieved by the decision

may appeal the decision by submitting a Notice of Appeal form within ten (10) days after receiving the order to:

Public Health Appeal Board
c/o Central Reception
Main Floor, ATB Place North Tower
10025 Jasper Avenue NW
Edmonton, Alberta, T5J 1S6
Phone: 780-222-5186
Fax: 780-422-0914
Email: HealthAppealBoard@gov.ab.ca
Website: <https://www.alberta.ca/public-health-appeal-board.aspx>

A Notice of Appeal form may be obtained by contacting the Public Health Appeal Board or visiting their website.

Health Legislation, Regulations and Standards

Electronic versions of the Public Health Act and Regulations are available at the Alberta King's Printer Bookstore 10611 - 98 Avenue, Main Floor, Park Plaza, Edmonton, Alberta, T5K 2P7 or <https://www.alberta.ca/alberta-kings-printer.aspx>.

Health Legislation and regulations are available for purchase. Please contact Alberta King's Printer Bookstore 10611 - 98 Avenue, Main Floor, Park Plaza, Edmonton, Alberta, T5K 2P7 or <https://www.alberta.ca/alberta-kings-printer.aspx>.

Copies of standards are available by visiting: <https://www.alberta.ca/health-standards-and-guidelines.aspx>

Template revised April 17, 2024