

ORDER OF AN EXECUTIVE OFFICER CLOSED FOR TENANT ACCOMMODATION PURPOSES ORDER TO VACATE

To: Kayla Bushell Harold Bushell Sonya Bushell

"the Owner" "the Owner" "the Owner"

And To: All Occupant(s) of the following Housing premises: 4-55509 Range Road 225 - Barn

Apartment

RE: Those housing premises located in **Sturgeon County**, **Alberta** and municipally

described as:

4-55509 Range Road 225 - Barn Apartment, T0A 1N1

WHEREAS I, an Executive Officer of Alberta Health Services, have inspected the above noted premises pursuant to the provisions of the Public Health Act, RSA 2000, c. P-37, as amended;

AND WHEREAS such inspection disclosed that the following conditions exist in and about the above noted premises which are or may become injurious or dangerous to the public health or which might hinder in any manner the prevention or suppression of disease, in contravention of the Public Health Act and Nuisance and General Sanitation Regulation, Alberta Regulation 243/2003 namely:

a. Both the North-West bedroom and North-East "bedroom" have unopenable windows. The North-East "bedroom" window faces inside of the barn with no access to the exterior.

AND WHEREAS such inspection disclosed that the following breaches of the Public Health Act and the Housing Regulation, Alberta Regulation 173/99, and the Minimum Housing and Health Standards exist in and about the above noted premises, namely:

a. Both the North-West bedroom and North-East "bedroom" have unopenable windows. The North-East "bedroom" window faces inside of the barn with no access to the exterior. This is in contravention of **Section 3(b)(i) of the Minimum Housing and Health Standards**, which state that, "For buildings of 3 storeys or less and except where a bedroom door provides access directly to the exterior or the suite is sprinklered, each bedroom shall have at least one outside window which may be opened from the inside without the use of tools or special knowledge."

AND WHEREAS, by virtue of the foregoing, the above noted premises are hereby declared to be **Closed for Tenant Accommodation Purposes**.

NOW THEREFORE, I hereby **ORDER** and **DIRECT**:

 That the Owner(s) takes all steps necessary to ensure all Occupants vacate the above noted premises and remove all mattresses and sleeping materials on or before December 1st, 2025.

- 2. That the Owner immediately undertake and diligently pursue the completion of the following work in and about the above noted premises, namely:
 - a. Replace the window in the North-West bedroom to meet minimum egress requirements.
 - b. Cease usage of the North-East "bedroom" for sleeping purposes.
- 3. That until such time as the work referred to above is completed to the satisfaction of an Executive Officer of Alberta Health Services; the above noted premises shall remain closed for tenant accommodation purposes.

The above conditions were noted at the time of inspection and may not necessarily reflect all deficiencies. You are advised that further work may be required to ensure full compliance with the Public Health Act and regulations, or to prevent a public health nuisance.

DATED at St. Albert, Alberta, November 5th, 2025

Confirmation of a verbal order issued to Kayla Bushell on November 5th, 2025.

Executive Officer Environmental Health Officer

You have the right to appeal

A person who

a) is directly affected by a decision of a Regional Health Authority, and b) feels himself aggrieved by the decision

may appeal the decision by submitting a Notice of Appeal form within ten (10) days after receiving the order

Public Health Appeal Board c/o Central Reception Main Floor, ATB Place North Tower 10025 Jasper Avenue NW Edmonton, Alberta, T5J 1S6 Phone: 780-222-5186

Fax: 780-422-0914

Email: HealthAppealBoard@gov.ab.ca

Website: https://www.alberta.ca/public-health-appeal-board.aspx

A Notice of Appeal form may be obtained by contacting the Public Health Appeal Board or visiting their website.

Health Legislation, Regulations and Standards

Electronic versions of the Public Health Act and Regulations are available at the Alberta King's Printer Bookstore 10611 - 98 Avenue, Main Floor, Park Plaza, Edmonton, Alberta, T5K 2P7 or https://www.alberta.ca/alberta-kings-printer.aspx.

Health Legislation and regulations are available for purchase. Please contact Alberta King's Printer Bookstore 10611 - 98 Avenue, Main Floor, Park Plaza, Edmonton, Alberta, T5K 2P7 or https://www.alberta.ca/alberta-kings-printer.aspx.

Copies of standards are available by visiting: https://www.alberta.ca/health-standards-and-quidelines.aspx

St. Albert • St. Albert Community Health Centre • Environmental Public Health

23 Sir Winston Churchill Avenue, St. Albert, Alberta, T8N 2S7

https://www.ahs.ca/eph