



Date: February 24, 2020
To: North-East Central Zone Physicians, Nursing Staff and Laboratory Staff
From: Clinical Biochemistry, Alberta Precision Laboratories
Re: Removal of ferritin, LH and FSH testing from St-Mary's Hospital Laboratory

PLEASE POST OR DISTRIBUTE AS WIDELY AS APPROPRIATE

Key Message:

- Effective February 26th, 2020, St-Mary's Hospital Laboratory (in Camrose) will no longer be performing ferritin, LH, or FSH testing on-site
- Specimens will be referred to DynaLIFE Medical Labs in Edmonton
- Anticipated turnaround time is 24-48 hours depending on time of collection
- Results will be available in Netcare and Physician Office Systems (POS)

Why this is Important:

- This change in test menu is a part of standardization of the processes within APL North and South Sectors

Action Required:

- For collection requirements and reference ranges please visit Dynalife Test Directory:
<https://td.dynalife.ca/>

Inquiries and feedback may be directed to:

- Yury Butorin, PhD, Clinical Biochemist, Red Deer Regional Hospital, 403-406-5633,
Yury.Butorin@albertaprecisionlabs.ca
- Mathew Estey, PhD, Clinical Chemist, Director of Clinical Chemistry, DynaLIFE Medical Labs,
780-451-3702 ext. 8162, Mathew.Estey@dynalife.ca

This bulletin has been reviewed and approved by:

Kareena Schnabl, PhD, Section Chief Biochemistry North Sector
Heidi Paulin, MD, General Pathologist, Red Deer Regional Hospital
Michael Mengel, MD, North Sector Medical Director

