

Sample TPPA Report for Non-reactive Result



Calgary Laboratory Services

Provincial Laboratory for Public Health

Laboratory Inquiries: Calgary & Area: 403-770-3600 Outside Calgary: 1-855-570-3600

crttestpl, tppa1

Chart ID:

MRN: 000475720

PHN:

ACB:

DOB/Gender: 1995-01-01 Male

Telephone: (000)000-0000

Encounter: CG017058672

Provlab EI:

Location: PLNA Provincial Laboratory (Northern Alberta) Ambulatory

Ordering: Physician Test, MD

Provincial Laboratory

Collected Date	2016-11-18	
Collected Time	06:00 MST	
		Units
Syphilis EIA	Reactive @*	
Syphilis Rapid Plasma Reagin (RPR)	Non Reactive	
Treponema pallidum agglutination assay	Non-Reactive *	

2016-11-18 06:00 MST SYPH PROV:

Reported to Health Agency Patient Address: Not Available

2016-11-18 06:00 MST Syphilis EIA:

This patient tested POSITIVE by the Syphilis EIA screening test, which is consistent with a current or past syphilis infection, a non-venereal treponematosi s (e.g. tropically acquired yaws, pinta, or bejel) or a false-positive reaction. This test will be followed by a supplementary assay (Syphilis Inno-LIA), if not previously performed.

Consultation with an expert is recommended if the clinical history suggests a recent or current infection. For advice or to obtain prior syphilis history on your patient, call Alberta Health and Wellness STD Services at (780)735-1466 or 1(888)535-1466 (business hours only) and speak to the STI nurse.

2016-11-18 06:00 MST .RPR:

Reported to Health Agency Patient Address: Not Available

2016-11-18 06:00 MST TPPA:

Test Sent: Treponema pallidum agglutination assay R

Reported to Health Agency Patient Address: Not Available

LEGEND: @=Abnormal C=Critical *=Footnotes #=Corrected L=Low H=High

Specimen source is BLOOD unless otherwise indicated

Cc:
STI Services AHS MOH

ProvLab Study:

Chart Request ID: 123239266

Accession #: 16-323-700001

Print Date/Time: 2016-11-18 09:25

www.calgarylabservices.com
www.provlab.ab.ca

Location: PLNA Provincial Laboratory (Northern Alberta) Ambulatory

MRN: 000475720

PHN:

ACB:

Provincial Laboratory

2016-11-18 06:00 MST Treponema pallidum agglutination assay:

A non reactive result indicates no past or present infection, but during incubating-stage syphilis, a non reactive result may occur. If early disease is clinically suspected, repeat testing in 2-3 weeks.

2016-11-18 06:00 MST Syphilis EIA:

Performed at ProvLab Edmonton

2016-11-18 06:00 MST Treponema pallidum agglutination assay, Syphilis Rapid Plasma Reagin (RPR):

Performed at ProvLab Edmonton

LEGEND: @=Abnormal C=Critical *=Footnotes #=Corrected L=Low H=High

Specimen source is BLOOD unless otherwise indicated

Cc:
STI Services AHS MOH

ProvLab Study:

Chart Request ID: 123239266

Accession #: 16-323-700001

Print Date/Time: 2016-11-18 09:25