


Diabetes Foot Screening Tool

| EXAM | FINDINGS | R | L | RISK | |
|---|---|--------------|----------|----------|--|
| SKIN | Normal intact skin – healthy or dry *check in between toes | | | LOW | |
| | Callus/Corn/Fissure/Crack not bleeding or draining | | MODERATE | | |
| | Prior history of Diabetic Foot Ulcer(s) ulcer in remission | | | | |
| | Blister = B or Hemorrhagic callus = HC | | | | |
| | Fissure or Crack Bleeding or draining = F | | HIGH | | |
| | Diabetic Foot Ulcer – Not infected and/or with intact dry black eschar = U | | | | |
| | Infected Diabetic Foot Ulcer or wet gangrene | | | URGENT | |
| NAILS | Normal well-kept with minimal discoloration | | | LOW | |
| | Missing, sharp, unkept, thickened, long or deformed | med MODERATE | | | |
| | Infected ingrown nail | | | | |
| STRUCTURE ANATOMY | Normal no noted visual abnormalities | | | LOW | |
| | Decreased range of motion at ankle or toe joint | | | | |
| | Deformities Bunion/Hammer or claw toes/overlapping toes | | | MODERATE | |
| | Structure Fallen Arch/ Rocker bottom foot/stable Charcot foot | | | | |
| | Previous amputation X over location or draw/describe on diagram | | | | |
| | Redness over any structural deformities pressure related | | | HIGH | |
| | Red, hot painful joint or acute Charcot foot | | | URGENT | |
| SENSATION Testing for LOPS | Normal sensation using 10 g monofilament at the 5 predetermined sites | | | LOW | |
| | Sensation of numbness/tingling/throbbing/burning | | | MODERATE | |
| | Absent or altered sensation at one or more of the five sites | | | | |
| | Acute onset of pain in a previously insensate foot | | | URGENT | |
| VASCULAR Testing for Arterial Compromise | Normal pulses normal capillary refill | | | LOW | |
| | Signs of Ischemia (PAD) Cool skin with pallor, cyanosis or mottling, and/or dependent rubor HIGH | | | | |
| | | | | HIGH | |
| | One or more pulses not palpable or audible (Doppler) | | | LIDOFNE | |
| | Absent pedal pulses with cold white painful foot or toes | | - | URGENT | |
| | Appropriate accommodates foot shape | | - | LOW | |
| | Inadequate Footwear | | | MODERATE | |
| | Inappropriate Footwear causing pressure/skin breakdown | | | HIGH | |

Instructions: Refer to Health Provider's Guide to Diabetes Foot Screening

Mark ulceration location (U). Mark other areas of specific concern: blister (B), draining fissure/crack (F), hemorrhagic callus (HC), and previous amputation (X).

Sensation Testing (monofilament)



Fill in if no sensation

Leave blank if sensation present

RIGHT LEFT ldentify any wounds and location on the foot or toe(s)

| Date | Signature | Primary Care Site |
|----------|-----------|-------------------|
| | | |
| Comments | | |